"Taraxaci folium" and "taraxaci radix". Monography on the Medicinal Uses of Plant Drugs. End.ed., 499-504. 2003. Stuttgart, Germany, Thieme.

A neutralizing monoclonal antibody for hospitalized patients with Covid-19. N Engl J Med 2020. Abdelnour L, Abdalla ME, Babiker S. COVID 19 infection presenting as motor peripheral neuropathy. Journal of the Formosan Medical Association 2020; 119:1119-1120.

Abou-Arab O, Huette P, Debouvries F, Dupont H, Jounieaux V. Inhaled nitric oxide for critically ill Covid-19 patients: a prospective study. Crit Care 2020; 24:645.

Abrams D, Lorusso R, Vincent JL, Brodie D. ECMO during the COVID-19 pandemic: when is it Abrams RM, Simpson DM, Navis A, Jette N, Zhou L. Small fiber neuropathy associated with SARS-CoV-2 Abu-Farha M, Al-Sabah S, Hammad MM, Hebbar P, John SE, Taher I et al. Prognostic genetic markers for thrombosis in COVID-19 patients: A focused analysis on D-Dimer, homocysteine and thromboembolism.

Ackermann M, Verleden SE, Kuehnel M, Haverich A, Welte T. Pulmonary vascular endothelialitis, Thrombosis, and Angiogenesis in COVID-19. N Engl J Med 2020; 383:120-128.

Ader AW, Paul TL, Reinhardt W, Safran M, Pino S, McArthur W et al. Effect of mouth rinsing with two polyvinylpyrrolidine-iodine mixtures on iodine absorption and thyroid function. J Clin Endocrinol Metab

Ader F, Hites M, Poissy J, Belhadi D, Diallo A, Staub T. Remdesivir plus standard of care versus standard of care alone for the treatment of patients admitted to hospital with COVID-19

Afrin LB, Weinstock LB, Molderings GJ. COVID-19 hyperinflammation and post-Covid-19 illness may be rooted in mast cell activation syndrome. Int J Infect DIs 2020.

Agarwal A, Mukherjee A, Kumar G, Chatterjee P, Bhatnager T. Convalescent plasma in the management of moderate covid-19 in adults in India: open label phase II multicentre randomised Agrawal PK, Agrawal C, Blunden G. Quercetin: Antiviral significance and possible COVID-19 integrative considerations. Natural Product Communications 2020; 15:1-10.

Ahmad Q, DePerrior SE, Dodani S, Edwards JF, Marik PE. Role of inflammatory biomarkers in the prediction of ICU admission and mortality in patients with COVID-19. Medical Research Archives

Ahmadi R, Salari S, Reihani H, Eslami S. Oral nano-curcumin formulation efficacy in the management of mild to moderate outpatient COVID-19: A randomized triple-blind placebo-controlled clinical trial. Food Science

Ahmed A, Ghit A, Houjak A, Elkazzaz M. Role of zinc and zinc ionophores in brain health and depression especially during the COVID-19 pandemic. In: Palmero S, Olivier B, editors. COVID-19 Pandemic, mental

Ahmed AK, Albalawi YS, Shora HA, Abelseed HK, Al-Kattan AN. Effects of quadruple therapy: Zinc, Quercetin, Bromelain and Vitamin C on clinical outcomes of patients infected with COVID-19. Rea

Ahorsu DK, Adjaottor ES, Lam BY. Intervention effect of non-invasive brain stimulation on cognitive functions among people with traumatic brain injury: A systematic review and meta-analysis. Brain Sci 2021; 11:840.

Akagawa M, Nakano M, Ikemoto K. Recent progress in studies on the health benefits of pyrroloquinoline quinone. Bioscience, Biotenchnology, and Biochemistry 2016; 80:13-22.

Akbar AN, Gilroy DW. Aging immunity may exacerbate COVID-19. Science 2020; 369.

Al Sulaiman K, Al Juhani O, Badreldin HA, Salah KB, Alharbi A, Arabi YM. Adjunctive therapy with ascorbic in critically ill patients with COVID-19: A multicenter propensity score matched study. Crit

Al Sulaiman K, Aljuhani O, Al Dossari M, Alshahrani A, Alharbi A. Evaluation of thiamine as adjunctive therapy in COVID-19 critically ill patients: A multicenter propensity score matched study.

Al-Aly Z, Xie Y, Bowe B. High-dimensional characterization of post-acute sequalae of COVID-19. Nature 2021.

Al-Hatamleh MA, Hatmal MM, Sattat K, Ahmad S, Mustafa MZ. Antiviral and immnomodulatory effects of phytochemicals from honey against COVID-19: Potential mechanisms of action and future directions.

Al-Jassim KB, Jawad AA, Al-Masoudi EA, Majeed SK. Histopathological and biochemical effects of ivermectin on kidney functions, lung and the ameliorative effects of vitamin C in rabbits. Bas J Vet Al-kuraishy HM, Ali-Gareeb AI, Al-Niemi MS, Buhadily AK. COVID-19 and phosphodiesterase enzyme type 5 inhibitors. J Microsc Ultrastruct 2022; 8:141-145.

Alam MT, Murshed R, Bhiuyan E, Saber S, Alam RF, Robin RC. A case series of 100 COVID-19 positive patients treated with combination of Ivermectin and Doxycycline. Bangladesh Coll Phys Surg Allen J, Bradley RD. Effects of oral glutathione supplementation on systemic oxidative stress biomarkers in human volunteers. Journal of Alternative & Complementary Medicine 2011; 17:827-833.

Almqvist P, Skudder P, Kuenzig M, Schwartz SI. Effect of cyproheptadine on endotoxin-induced pulmonary platelet trapping. Am Surg 1984; 50:503-505.

Altay O, Arif M, Li X, Yang H, Aydin M, Alkurt G. Combined metabolic activators accelerates recovery in mild-to-moderate COVID-19. Adv Sci 2021;202101222.

Amaravadi RK, Kimmelman AC, Debnath J. Targeting autophagy in cancer: Recent advances and future Andreakos E, Papadaki M, Serhan CN. Dexamethasone, pro-resolving lipid mediators and resolution of Andreu S, Ripa I, Bello-Morales R, Lopez-Guerrero JA. Valproic acid and its amidic deratives as new antivirals against Alphaherpesviruses. Viruses 2020; 12:1356.

Annweiler C, Hanotte B, de L'Eprevier CG, Sabatier JM, Lafaie L. Vitamin D and survival in COVID-19 patients: A quasi-experimental study. Journal of Steroid Biochemistry & Molecular Biology 2020.

Antidepressants and Violence: the Numbers, RxISK. August17, 2015. https://rxisk.org/antidepressants-and-violence-the-numbers/[2022 [cited 2022 June 4]; Available from: URL: https://rxisk.org/antidepressants-and-

Arbel R, Sagy YW, Hoshen M, Battat E, Lavie G, Sergienko R et al. Oral nirmatrelvir and severe COVID-19 outcomes during the Omicron surge. Research Square 2022.

Aroke D, Tchouakam DN, Awungia AT, Mapoh SY, Ngassa SN. Ivermectin induced Steven-Johnsons syndrome: case report. BMC Research Notes 2017; 10:179.

Arslan B, Ergun NU, Topuz S, Semerci SY, Suner N. Synergistic effect of quercetin and vitamin C against COVID-19: Is a possible guard for front liners? ssrn 2020.

Arthur JM, Forrest JC, Boehme KW, Kennedy JL, Owens S, Liu J. Development of ACE2 autoantibodies after SARS-CoV-2 infection. PloS ONE 2021; 16:e0257016.

Arvinte C, Singh M, Marik PE. Serum levels of vitamin C and vitamin D in a cohort of critically ill COVID-19 patients of a North American Community Hospital Intensive Care Unit in May 2020. A pilot Ashraf S, Ashraf S, Ashraf M, Imran MA, Kalsoom L, Siddiqui UN et al. Honey and *Nigella sativa* against COVID-19 in Pakistan (HNS-COVID-PK): A multi-center placebo-controlled randomized clinical trial. medRxiv 2021.

Assimakopoulos SF, Aretha D, Kominos D, Dimitropoulou D, Lagadinou M. N-acetyl-cysteine reduces the risk for mechanical ventilation and mortality in patients with COVID-19 pneumonia: a two-

Association between administration of systemic corticosteroids and mortality among critically ill patients with COVID-19. A meta-analysis. JAMA 2020.

Atoui A, Jarrah K, Al Mahmassani L, Bou-Fakhredin R, Taher AT. Deep venous thrombosis and pulmonary embolism after COVID-19 mRNA vaccination. Ann Hematol 2022; 101:1111-1113.

Auer BL. Relative hyperoxaluria, crystalluria and haematuria after megadose ingestion of vitamin C. Eur J Clin Avendano-Sola C, Ramos-Martinez A, Munez-Rubio E, Ruiz-Antoran B, de Molina RM. Convalescent plasma for COVID-19: A multicenter, randomized clinical trial. medRxiv 2020.

Aveyard P, Gao M, Lindson N, Young D, Tan PS, Clift AK. Association between pre-existing respiratory disease and its treatment, and severe COVID-19: a population cohort study. Lancet Resp Azevedo AA, Figueirdo rR, Elgoyhen AB, Langguth B, Schlee W. Tinnitus treatment with oxytocin: A pilot study.

Baeke F, Takiishi T, Korf H, Gysemans C, Mathieu C. Vitamin D: modulator of the immune system. Current Bagate F, Tuffet S, Masi P, Perier F, Razazi K. Rescue thearpy with inhaled nitric oxide and almitrine in COVID-19 patients with severe acute respiratory distress syndrome. Ann Intensive Care 2020. Bahmad FM, Venosa AR, Oliveira CA. Benzodiazepines and GABAergics in treating severe disabling tinnitus of predominantly cochlear origin. 12 2006;(140):144.

Balagholi S, Dabbaghi R, Eshghi P, Mousavi SA, Heshmati F, Mohammadi S. Potential of therapeutic

plasmapharesis in treatment of COVID-19 patients: immunopathogenesis and coagulopathy. Transfusion and Balcells ME, Rojas L, Le Corre N, Ceballos ME, Ferres M, Chang M. Early versus deferred anti-SARS-CoV-2 convalescent plasma in patients admitted for COVID-19: A randomized phase II clinical trial.

Banerjee A, Pasea L, Harris S, Gonzalez-Izquierdo A. Estimating excess 1-year mortality associated with the COVID-19 pandemic according to underlying conditions and age: a population-based cohort

Barabutis N, Khangoora V, Marik PE, Catravas JD. Hydrocortisone and Ascorbic Acid synergistically protect and repair lipopolysaccharide-induced pulmonary endothelial barrier dysfunction. Chest

Barbaro RP, MacLaren G, Boonstra PS, Iwashyna TJ, Slutsky AS. Extracorporeal membrane oxygenation support in COVID-19: an international cohort study of the Extracorporeal Life Support Barbash IJ, Davis BS, Yabes JG, Seymour CW, Angus DC, Kahn JM. Treatment patterns and clinical outcomes after the introduction of the Medicare Sepsis Performance Measure (SEP-1). Ann Intern Med 2021.

Barrett TJ, Lee AH, Xia Y, Lin LH, Black M, Cotzia P. Platelet and vascular biomarkers associate with thrombosis and death in coronavirus disease. Circulation Research 2020; 127:945-947.

Bartley J. Vitamin D: emerging roles in infection and immunity. Expert Review of Antiinfective Therapy 2010; Bassetti M, Kollef MH, Timsit JF. Bacterial and fungal superinfections in critically ill patients with Bawazeer MA, Theoharides TC. IL-33 stimulates human mast cell release of CCL5 and CCL2 via MAPK and NF-kB, inhibited by methoxyluteolin. Eur J Pharmacol 2019; 865:172760.

Baxter AL, Schwartz KR, Johnson RW, Srinivasa AS. Rapid initiation of nasal saline irrigation: hospitalizations in COVID-19 patients randomized to alkalinization or povidone-iodine compared to a national dataset.

Bayar N, Boke B, Turan E, Belgin E. Efficacy of amitriptyline in the treatment of subjective tinnitus. Journal of Becerra-Diaz M, Strickland AB, Keselman A, Heller NM. Androgen and androgen receptor as enhancers of M2 macrophage polarization in allergic lung inflammation. J Immunol 2018; 201:2923-2933.

Beckman JA. Thrombolytic therapy for pulmonary embolism. JAMA 2014; 311:2385-2386.

Bednarik J, Bursova S, Dusek L, Sommer C. Etiology of small-fiber neuropathy. Journal of the Peripheral Behera P, Patro BK, Singh AK, Chandanshive PD, Kumar R. Role of ivermectin in the prevention of COVID-19 infection among healthcare workers in India: A matched case-control study. medRxiv 2020.

Bek LM, Berentschot JC, Huijts S, Vlake JH, Aerts JG. Symptoms persisting after hospitalization for COVID-19: 12 month interim results of the COFLOW study. medRxiv 2021.

Bello M. Elucidation of the inhibitory activity of ivermectin with host nuclear importin alpha and several SARS-CoV-2 targets. Journal of Biomolecular Structure and Dynamics 2021.

Berg K, Bolt G, Andersen H, Owen TC. Zinc potentiates the antiviral action of human IFN-alpha tenfold. J Bergman P, Lindh AU, Bjorkhem-Bergman L, Lindhagen L. Vitamin D and respiartory tract infections: A systematic review and meta-analysis of randomized controlled trials. PloS ONE 2013; 8:e65835.

Bernheim A, Mei X, Huang M, Yang Y, Fayad ZA, Zhang N et al. Chest CT findings in Coronavirus disease 2019 (COVID-19): relationship to duration of infection. Radiology 2020; 295:685-691.

Bharath LP, Agrawal M, McCambridge G, Nichols DA, Hasturk H, Liu J et al. Metformin enhances autophagy and normalizes mitochondrial function to alleviate age-associated inflammation. Cell Metabolism 2020;

Bianconi V, Violi F, Fallarino F, Pignatelli P, Sahebkar A, Pirro M. Is acetylsalicylic acid a safe and potentially useful choice for adult patients with COVID-19? Drugs 2020.

Bismuth-Evenzal Y, Gonopolsky Y, gurwitz D, Iancu I, Weizman A. Decreased serotonin content and reduced agonist-induced aggregation in platelets of chronically medicated with SSRI drugs. Journal

Blackshear JL, Orlandi C, Hollenberg NK. Constrictive effect of serotonin on visible renal arteries: a pharmacoangiographic study in anesthetized dogs. J Cardiovasc Pharmacol 1991; 17:68-73.

Blanco-Melo D, Nilsson-Payant BE, Liu WC, Uhl S. Imbalanced host response to SARS-CoV-2 drives development of COVID-19. Cell 2020; 181:1036-1045.

Blaylock RL. COVID Update: What is the truth? Surgical Neurology International 2022; 13.

Blaylock RL. Vaccines, depression, and neurodegeneration after age 50 years: another reason to avoid the recommended vaccines. Medical Veritas 2008; 5:1742-1747.

Blum VF, Cimerman S, Huneter JR, Tierno P, Lacerda A, Soeiro A. Nitazoxanide superioroty to placebo to treat moderate COVID-19 - A pilot prove of concept randomized double-blind clinical

Blumenthal KG, Robinson LB, Camargo CA, Shenoy ES, Banerji A, Landman AB. Acute allergic reactions to mRNA COVID-19 vaccines. JAMA 2022; 325:1562-1564.

Boesveldt S, Postma EM, Boak D, Schopf V, Martens J, Duffy VB. Anosmia - A clinical review. Chemical senses Booth NE, Myhill S, McLaren-Howard J. Mitochondrial dysfunction and the pathophysiology of Myalgic Encephalolyelitis/Chronic Fatigue Syndrome (ME/CFS _ . Int J Clin Exp Med 2012; 5:208-220.

Boretti A, Banik BK. Intravenous vitamin C for reduction of cytokines storm in acute respiratory distress syndrome. PharmaNutrition 2020; 12:100190.

Borsche L, Glauner B, von Mendel J. COVID-19 mortality risk correlates inversely with vitamin D3 status, and a mortality rate close to zero could theoretically be achieved at 50ng/ml 25(OH)D3: results of a systematic Bortolotti D, Gentili V, Rizzo S, Rotola A, Rizzo R. SARS-CoV-2 Spike 1 protein controls natural killer cell activation via the HLA-E/NKG2A pathway. Cell 2020; 9:1975.

Braude AC, Rebuck AS. Prednisone and methylprednisolone disposition in the lung. Lancet 1983;995-Brononi AR, Sampaio-Junior B, Moffa AH, Aparicio L, Gordon P, Klein I et al. Noninvasive brain stimulation in psychiatric disorders: a primer. Brazilian Journal of Psychiatry 2019; 4:70-81.

Brosnahan SB, Bhatt A, Berger JS, Yuriditsky E, Iturrate E. COVID-19 pneumonia hospitalizations followed by re-presentation for presumed thrombotic event. Chest 2020.

Brouwer WP, Duran S, Kuijper M, Inc C. Hemoadsorption with CytoSorb shows a decreased observed versus expected 28-day all-cause mortality in ICU patients with septic shock: a propensity-score-

Brown JT, Saigal A, Karia N, Patel RK, Razvi Y, Steeden JA. Ongoing exercise intolerance following COVID-19: A magnetic resonance-Augmented Cardiopulmonary excercise Test Study. J Am Heart Assoc 2022; 11:e024207.

Brown R, Sam CH, Green T, Wood S. Effect of GutsyGum, a Novel Gum, on subjective ratings of gastro esophageal reflux following a refluxogenic meal. Journal of Dietary Supplements 2015; 12:138-145.

Bryant A, Lawrie TA, Dowswell T, Fordham E, Mitchell S, Hill SR et al. Ivermectin for the prevention and treatment of COVID-19 infection: a systematic review and meta-analysis. Lancet 2021.

Bryce C, Grimes Z, Pujadas E, Ahuja S, Beasley MB, Albrecht R et al. Pathopysiology of SARS-CoV-2: targeting of endothelial cells renders a complex disease with thrombotic microangiopathy and aberrant immune

Buijsers B, Yanginlar C, de Nooijer A, Grondman I, Jonkman I, Rother N. Increased plasma heparanase activity in COVID-19 patients. medRxiv 2020.

Buijsers B, Yanginlar C, Maciej-Hulme ML, de Mast Q. Beneficial non-anticoagulant mechanisms underlying heparin treatment of COVID-19 patients. EBioMedicine 2020.

Burakgazi AZ. Small-fiber neuropathy possibly associated with COVID-19. Case Rep Neurol 2022; 14:208-212.

Buras JA, Holt D, Orlow D, Belikoff B, Pavildes S, Reenstra WR. Hyperbaric oxygen protects from sepsis mortality via an interleukin-10-dependent mechanism. Crit Care Med 2006; 34:2624-2629. Burton MJ, Clarkson JE, Goulao B, Glenny AM, McBain AJ, Schilder AG. Antimicrobial mouthwashes (gargling) and nasal sprays to protect healthcare workers when undertaking aerosol-generating procedures (AGPs) on patients withou suspected or conformed COVID-19 infection (Review). Cochrane Database of Syst Rev 2020; Busund R, Koukline V, Utrobin U, Nedashkovsky E. Plasmapheresis in severe sepsis and septic shock: a prospective, randomised, controlled trial. Intensive Care Med 2002; 28:1434-1439. Cabral-Marques O, Halpert G, Schimke LF, Ostrinski Y, Vojdani A, Lattin MT. Autoantibodies targeting GPCRs and RAS-related molecules associated with COVID-19 severity. Nature Communications 2022; 13:1220. Cadegiani FA, Goren A, Wambier CG, McCoy J. An open-label prospective observational study of antiandrogen and non-antiandrogen early pharmacological approaches in females with mild-to-Cadegiani FA, Goren A, Wambier CG, McCoy J. Early COVID-19 therapy with azithromycin plus nitazoxanide, ivermectin or hydroxychloroquine in outpatient settings significantly reduced symptoms compared to known outcomes in untreated patients. New Microbes and New Infections Cadegiani FA, Goren A, Wambier CG. Spironolactone may provide protection from SARA-CoV-2: Targeting androgens, angiotensin converting enzyme 2 (ACE2), and renin-angiotensin-aldosterone Cadegiani FA, McCoy J, Wambier CG, Goren A. Early antiandrogen therapy with dutasteride reduces viral shedding, inflammatory responses, and time-to remission in males with COVID-19: A randomized, double-blind, placebo-controlled interventional trial (EAT-DUTA AndroCoV Trial-Cadegiani FA, McCoy J, Zimerman A, Mirza FN, Barros RN. Efficacy of proxalutamide in hospitalized COVID-19 patients: A randomized, double-blind, placebo-controlled, parallel-design clinical trial. Cadegiani FA, Wambier CG, Goren A. Spironolactone: An anti-androgenic and anti-hypertensive drug that may provide protection against the novel Coronavirus (SARS-CoV-2) induced acute respiratory Cadegiani FA. Catecholamines are the key trigger of mRNA SARS-CoV-2 and mRNA COVID-19 vaccine-induced myocarditis and sudden deahts: a compelling hypothesis supprted by epidemiological, anatomopathological, Calder PC. Nutrition, immunity and COVID-19. BMJ Nutrition, Prevenion & Health 2020; 3(e000085). Calis Z, Mogulkoc R, Baltaci AK. The roles of flavonols/flavonoids in neurodegeneration and neuroinflammation. Mini Rev Med Chem 2020; 20:1475-1488. Callaway E. What the latest Omicron subvariants mean for the pandemic. Nature 2022; 606:848-Calusic M, Marcec R, Luksa L, Jurkovic I, Kovac N, Likic R. Safety and efficacy of fluvoxamine in COVID-19 ICU patients: an open label, prospective cohort trial with matched controls. Br J Clin Caly L, Druce JD, Catton MG, Jans DA, Wagstaff KM. The FDA-approved drug Ivermectin inhibits the replication of SARS-CoV-2 in vitro. Antiviral Res 2020. Canga AG, Sahagun Prieto AM, Diez Liebana MJ, Martinez NF. The pharmacokinetics and interactions of Ivermectin in humans-A mini-review. The AAPS Journal 2007; 10:42-46. Cangiano B, Fatti LM, Danesi L, Croci M, Vitale G. Mortality in an Italian nursing home during COVID-19 pandemic: correlation with gender, age, ADL, vitamin D supplementaion, and limitations of the diagnostic Cao J, Forrest CJ, Zhang X. A screen of the NIH clinical collection small molecule library identifies potential anti-coronavirus drugs. Antiviral Res 2015; 114:1-10. Caplan M, Goutay J, Bignon A, Jaillette E, Favory R. Almitrine infusion in severe acute respiratory syndrome coronavirus-2 indued acute respiratory distress syndrome: A single-center observational Carfi A, Bernabei R, Landi F. Persistent symptoms in patients after acute COVID-19. JAMA 2020. Carpagnano GE, Lecce V, Quaranta VN, Zito A, Buonamico E. Vitamin D deficiency as a predictor of poor prognosis in patients with acute respiratory fialure due to COVID-19. J Endocrinol Invest 2020.

Carpene G, Negrini D, Henry BM, Montagnana L, Lippi G. Homocysteine in coronavirus disease (COVID-19): a Carvallo H, Hirsch R, Farinella ME. Safety and efficacy of the combined use of Ivermectin, dexamethasone, enoxaparin and aspirin against COVID-19. medRxiv 2020. Carvallo H, Hirsch RR, Alkis P, Contreras V. Study of the efficacy and safety of topical ivermectin + lotacarrageenan in the prophylaxis against COVID-19 in health personnel. Journal of Biomedical Research and Castillo ME, Costa LM, Barrios JM, Diaz JF, Miranda JL, Bouillon R et al. Effect of calcifediol treatment and best available therapy versus best available therapy on intensive care unit admission and mortality among patients hospitalized for COVID-19: a pilot randomized clinical study. J Steroid Castillo RR, Quizon GR, Juco MJ, Roman AD, de Leon DG, Punzalan FE et al. Melatonin as adjuvant treatment for coronavirus disease 2019 pneumonia patients requiring hospitalization (MAC-19 PRO): a case series. Cereda G, Ciappolino V, Boscutti A, Cantu F, Enrico P, Oldani L. Zinc as a neuroprotective nutrient for COVID-19-related neuropsychiatric manifestations: A literature review. Adv Nutr 2022; 13:66-79. Cerutti A, Chen K, Chorny A. Immunoglobulin responses at the mucosal interface. Annu Rev Immunol Chahla RE, Medina Ruiz L, Mena T, Brepe Y, Terranova P. Ivermectin reproposing for COVID-19 treatment outpatients in mild stage in primary health centers. medRxiv 2021. Chai YS, Chen YQ, Lin SH, Xie K, Wang CJ, Yang YZ. Curcumin regulates the differentiation of naive CD4+T cells and activates IL-10 immune modulation against acute lung injury in mice. Biomedicine and Pharmacotherapy Chamie J. Real-World evidence: The case of Peru, casuality between Ivermectin and COVID-19 Chamie-Quintero JJ, Hibberd JA, Scheim DE. Ivermectin for COVID-19 in Peru: 14-fold reduction in nationwide excess deaths, p=0.002 for effect by state, then 13-fold increase after ivermectin use Chandra AK, De N. Catechin induced modulation in the activities of thyroid hormone synthesizing enzymes leading to hypothyroidism. Mol Cell Biochem 2013; 374:37-48. Charnley M, Islam S, Bindra G, Ratcliffe J, Zhou J, Hulett M. Neurotoxic amyloidogenic peptides identified in the proteome of SARS-COV-2: potential implications for neurological symptoms in COVID-19. Nature Chen BM, Cheng TL, Roffler SR. Polyethylene glycol immunogenicity: Theorectical, clinical and practical aspects of anti-polyethylene glycol antibodies. ASC Nano 2021; 15:14022-14048. Chen CX, Wang JJ, Li H, Yuan LT, Gale RP. JAK-inhibitors for coronavirus disease-2019 (COVID): a Chen JJ, Zeng BS, Wu CN, Stubbs B, Carvalho AF, Su KP. Association of central noninvasive brain stimulation interventions with efficacy and safety in tinnitus management. A meta-analysis. JAMA Otolaryngol Head Neck Chen JJ, Zeng BY, Lui CC, Chen TY, Chen YW, Tseng PT. Pfizer-BioNTech COVID-19 vaccine-associated tinnitus and treatment with transcranial magnetic stimulation. QJM 2022. Chen L, Jiang X, Huang L, Lan K, Wang H, Hu L et al. Bioequivalence of a single 10-mg dose of finasteride 5-mg oral disintegrating tablets and standard tablets in healthy adult male Han Chinese volunteers: A randomized sequence, open-label, two-way crossover study. Clinical Therapeutics Chen L, Li J, Luo C, Liu H, Xu W, Chen G. Binding interaction of quercetin-3-B-galactoside and its synthetic derivatives with SARS-CoV 3CLpro: Structure-activity relationship studies reveal salient pharmacophore Chen T, Song J, Liu H, Zheng H, Chen C. Positive Epstein-Barr virus detection in coronavirus disease 2019 (COVID-19) patients. Scientific Reports 2021; 11:10902. Chen Y, Gu S, Chen Y, Lu H, Shi D, Guo J. Six-month follow-up of gut microbiota richness in patients with Cheng CW, Adams GB, Perin L, Wei M, Zhou X, Lam BS. Prolonged fasting reduces IGF-1/PKA to promote

hematopoietic-stem-cell-based regeneration and reverse immunosppression. Cell Stem Cell 2014; 14:810-Cheng HY, Jian SW, Liu DP, Huang WT, Lin HH. Contact tracing assessment of COVI-19 transmission dynamics in Taiwan and risk at different exposure periods before and after symptom onset. JAMA Cheng RZ. Can early and high-dose vitamin C prevent and treat coronavirus disease 2019 (COVID-

```
Chiumello D, Cressoni M, Gattinoni L. Covid-19 does not lead to a "typical" Acute Respiratory
Chopra V, Flanders SA, O'Malley M. Sixty-day outcomes among patients hospitalized with COVID-19. Ann
Choudhury IM, Shabnam N, Ahsan T, Kabir S, Ahsan SM. Effect of 1% povidone iodine mouthwash/gargle, nasal
and eye drop in COVID-19 patient. Bioresearch Communications 2021; 7.
Chowanadisiai W, Bauerly KA, Tchaparian E, Wong A, Rucker RB. Pyrrologuinoline guinone stimulates
mitochondrial biogenesis through cAMP response element-binding protein phosphorylation and increased
Chowdhury AT, Shahabz M, Karim MR, Islam J, Guo D, He D. A randomized trial of ivermectin-
doxycycline and hydrochloroquine-azithromycin therapy on COVID-19 patients. Research Square
Chowdhury AT, Shahbaz M, Karim MR, Islam J, Dan G. A comparative study on ivermectin-
doxycycline and hydroxychloroguine-azithromycin therapy on COVID-19 patients. EJMO 2021; 5:63-
Chroboczek T, Lacoste M, Wackenheim C, Challan-Belval T, Amar B, Boisson T. Beneficial effect of
corticosteroids in severe COVID-19 pneumonia: a propensity score matching analysis. medRxiv 2020.
Ci X, Li H, Yu Q, Zhang X, Yu L, Chen N et al. Avermectin exerts anti-inflammatory effect by downregulating the
nuclear transcription factor kappa-B and mitogen activated protein kinase pathway. Fundamental & Clinical
Cialdella-Kam L, Ghosh S, Meaney MP, Knab AM, Shanely RA, Nieman DC. Quercetin and Green Tea Extract
Supplementation Downregulates Genes Related to Tissue Inflammatory Responses to a 12-Week High Fat-Diet
Clarke JD, Hsu A, Riedl K, Bella D, Stevens JF, Ho E. Bioavailability and inter-conversion of sulforaphane and
erucin in human subjects consuming broccoli sprouts or broccoli supplement in a cross-over study design.
Classen JB. Review of COVID-19 vaccines and the risk of chronic adverse events including neurological
Clausen TM, Sandoval DR, Spliid CB, PiHl J, Painter CD, Thacker BE et al. SARS-CoV-2 infection
depends on cellular heparan sulphate and ACE2. bioRxiv 2020.
Clemency BM, Varughese R, Morse CG, Koster DJ, Blaiss MS. Efficacy of inhaled ciclesonide for
outpatient treatment of adolescents and adults with symptomatic COVID-19. A randomized clinical
Clough E, Chean KT, Inigo J, Tubbesing KE, Chandra D, Chaves L. Mitochondrial dynamics in SARS-CoV-2 spike
protein treated human microglia: Im plications for neuro-COVID. Journal of Neuroimmune Pharmacology
Cloutier N, Allaeys I, Marcoux G, Machius KR, Mailhot B. Platelets release pathogenic serotonin and
return to circulation after immune complex-mediated sequestration. PNAS 2018;E1550-E1559.
Colombo D, Lunardon L, Bellia G. Cyclosporine and herbal supplement interactions. Journal of Toxicology
Colunga Biancatelli RM, Berrill M, Marik PE. The antiviral properties of vitamin C. Expert Rev Anti Infect Ther
Colunga Biancatelli RM, Berrill M, Mohammed YH, Marik PE. Melatonin for the treatment of sepsis: the
scientific rationale. J Thorac Dis 2020; 12 (Suppl 1):S54-S65.
Colunga Biancatelli RM, Solopov P, Sharlow E, Lazo J, Marik PE, Catravas J. The SARS-CoV-2 spike protein
subunit 1 induces COVID-19 like acute lung injury in K18-hACE2 transgenic mice and barrier dysfunction in
Copin MC, Parmentier E, Duburcq T, Poissy J, Mathieu D. Time to consider histologic pattern of lung
injury to treat critically ill patietns with COVID-19 infection [letter]. Intensive Care Med 2020.
Coto-Montes A, Boga JA. ER stress and autophagy induced by SARS-CoV-2: The targer for melatonin treatment.
COVID-19 rapid guideline: managing the long-term effects of COVID-19. www nice org uk/guidance/ng188 [
Cozier YC, Castro-Webb N, Hochberg NS, Rosenberg L, Albert MA, Palmer JR. Lower serum 25(OH) D levels
associated with higher risk of COVID-19 infection in U.S. black women. PloS ONE 2021; 16:e0255132.
Cruz AF, Ruiz-Antoran B, Gomez AM, Lopez AS. Impact of glucocorticoid treatment in SARS-CoV-2
infection mortality: A retrospective controlled cohort study. medRxiv 2020.
Cuesta-Llavona E, Gomez J, Albaiceta GM, Amado-Rodriguez L, Garcia-Clemente M. Variant-genetic and
transcript-expression analysis showed a role for the chemokine-receptor CCR5 in COVID-19 severity.
Cypel M, Keshavjee S. When to consider lung transplantation for COVID-19. Lancet Resp Med 2021;
```

da Silva JK, Figueirdo PL, Byler KG, setzer WN. Essential oils as antiviral agents, potential of essential oils to treat SARS-CoV-2 infection: an In-Silico investigation. Int J Mol Sci 2020; 21:3426.

Dabbagh-Bazarbachi H, Clergeaud G, Quesada IM, Ortiz M, O'Sullivan CK. Zinc ionophore activity of Quercetin and Epigallocatechin-gallate:From Hepa 1-6 cells to a liposome model. J Agric Food Chem 2014; 62:8085-

Dacasin AB, Diagono DM, So PK, Bautista VR, Bucu ML, Bueno PR. The potential use of virgin coconut oil as an adjunctive treatment for COVID-19: A review. Journal of Pharmacognosy and Phytochemistry 2021; 10:37-

Dancer RC, Parekh D, Lax S, D'Souza VD, Zheng S, Bassford CR et al. Vitamin D deficiency contributes directly to the acute respiratory distress syndrome (ARDS). Thorax 2015; 70:617-624.

Daneshkhah A, Eshein A, Subramanian H. The role of vitamin D in suppressing cytokine storm of COVID-19 patients and associated mortality. medRxiv 2020.

Darban M, Malek F, Memarian M, Gohari A, Kiani A, Emadi A. Efficacy of high dose vitamin C, melatonin and zinc in Iranian patients with acute respiratory sydrome due to Coronavirus infection:

Darwin E, Hirt PA, Fertig R, Doliner B, Delcanto G. Alopecia areata: Review of epidemiology, clinical features, pathogenesis, and new treatment options. International Journal of Trichology 2018; 10:51-60.

Das UN. Can bioactive lipids inactivate coronavirus (COVID-19)? Arch Med Res 2020; 51:282-286.

Davies MA, Morden E, Rosseau P, Arendse J, Bam JL, Cloete K et al. Outcomes of laboratory-confirmed SARS-CoV-2 infection during resurgence driven by Omicron lineages BA.4 and BA.5 compared with previous waves in the Western Cape Province, South Africa. medRxiv 2022.

Dawson C, Christensen CW, Rickaby DA, Linehan JH, Johnston MR. Lung damage and pulmonary uptake of serotonin in intact dogs. J Appl Physiol 1985; 58:1761-1766.

Dayer MR. Coronavirus (2019-nCoV) deactivation via spike glycoprotein shielding by old drugs, De Flora S, Balansky R, La Maestra S. Rationale for the use of N-acetylcysteine in both prevention and adjuvant therapy of COVID-19. FASEB J 2020.

De Maio A, Hightower LE. COVID-19, acute respiratory distress syndrome (ARDS), and hyperbaric oxygen therapy (HBOT): what is the link? Cell Stress & Chaperones 2020; 25:717-720.

de Melo AF, Homem-de-Mello M. High-dose intravenous vitamin C may help in cytokine storm in severe SARS-CoV-2 infection. Crit Care 2020; 24:500.

de Moreuil C, Alavi Z, Pasquier E. Hydroxychloroquine may be beneficial in preeclampsia and recurrent de Souza dos Santos MC, Goncalves CF, Vaisman M, Ferreira AC, de Carvalho DP. Impact of flavonoids on thyroid function. Food and Chemical Toxicology 2011; 49:2495-2502.

deCabo R, Mattson MP. Effects of intermittent fasting on health, aging, and disease. N Engl J Med 2019;

Dequin PF, Heming N, Meziani F, Plantefeve G, Voiriot G. Effect of hydrocortisone on 21-day mortality or respiratory support among critically ill patients with COVID-19. A randomized Clinical

Derosa G, Maffioli P, D'Angelo A, Di Pierro F. A role for quercetin in coronavirus disease 2019 (COVID-19).

Dhooria S, Chaudhary S, Sehgal IS, Agarwal R, Arora S. High-dose versus low-dose prednisolone in symptomatic patients with post-COVID-19 diffuse parenchymal lung abnormalities: an open-label,

Diep PT, Buemann B, Uvnas-Moberg K. Oxytocin, a possible treatment for COVID-19? everything to gain, nothing to lose. Clinical Neuropsychiatry 2020; 17:192-195.

Din AU, Mazhar M, Waseem M, Ahmad w, Bibi A. SARS-CoV-2 microbiome dysbiosis linked disorders and possible probiotic role. Biomedicine & Pharmacotherapy 2021; 133:110947.

Ding X, Xu J, Zhou J, Long Q. Chest CT findings of COVID-19 pneumonia by duration of symptoms. European Journal of Radiology 2020; 127:109009.

DiNicolantonio JJ, Barroso-Aranda J, McCarty MF. Anti-inflammatory activity of ivermectin in late-stage COVID-19 may reflect activation of systemic glycine receptors. Open Heart 2021; 8:e001655.

DiNicolantonio JJ, Barroso-Arranda J, McCarty M. Ivermectin may be a clinically useful anti-inflammatory agent for late-stage COVID-19. Open Heart 2020; 7:e001350.

DiPierro F, Derosa G, Maffioli P, Togni S, Riva A. Possible therapeutic effects of adjuvant Quercetin supplementation against early stage COVID-19 infection: A prospective, randomized, controlled, and open-

Doaei S, Gholami S, Rastgoo S, Bourbour F, Ghorat F, Joola P. The effect of omega-3 fatty acid supplementation on clinical and biochemical parameters of critically ill patients with COVID-19: a

dos Santos LM. Can vitamin B12 be an adjuvant to COVID-19 treatment? GSC Biological and Pharmaceutical Draghici S, Nguyen TM, Sonna LA, Ziraldo C, Vanciu R, Fadel R et al. COVID-19: disease pathways and gene expression changes predict methylprednisolone can improve outcome in severe cases.

Dror AA, Morozov N, Daoud A, Namir Y, Yakir O. Pre-infection 25-hydroxyvitamin D3 levels and association with severity of COVID-19 illness. PloS ONE 2022; 17:e0263069.

Duarte M, Pelorosso F, Nicolosi L, Salgado V, Vetulli H. Telmisartan for treatment of COVID-19 patients: an open multicenter randomized clinical trial. EClinicalMedicine 2021; 37:100962.

Duma D, Collins JB, Chou JW, Cidlowski JA. Sexually dimorphic actions of glucocorticoids provide a link to inflammatory diseases with gender differences in prevalence. Science Signaling 2010; 3(143):ra74.

Dunlop K, Hanlon CA, Downar J. Noninvasive brain stimulation treatments for addiction and major

Edalatifard M, Akhtari M, Salehi M, Naderi Z, Jamshidi A, Mostafaei S. Intravenous

methylprednisolone pulse as a treatment for hospitalized severe COVID-19 patients: results from a

Edwards G. Ivermectin: does P-glycoprotein play a role in neurotoxicity? Filaria Jurnal 2003; 3 (Suppl Effect of hydrocortisone on mortality and organ support in patients with severe COVID-19. The REMAP-CAP COVID-19 Corticosteroid Domain Randomized Clinical Trial. JAMA 2020.

Eisenberg T, Knauer H, Schauer A, Buttner S, Carmona-Gutierrez D, Ring J et al. Induction of autophagy by spermidine promotes longevity. Nature Cell Biology 2009; 11:1305-1314.

Elalfy H, Besheer T, El-Mesery A, El-Gilany AH, Hewidy AA. Effect of a combination of nitazoxanide, ribavirin, and ivermectin plus zinc supplement (MANS.NRIZ study) on the clearance of mild COVID-

Elamir YM, Amir H, Lim S, Rana Y, Lopez CG, Omar A. A randomized pilot study using calcitriol in hospitalized patients. Bone 2022; 154:116175.

Elenkov IJ. Glucocorticoids and the Th1/Th2 balance. Ann N Y Acad Sci 2004; 1024:138-146.

Elharrar X, Trigui Y, Dois AM, Touchon F. Use of prone positioning in nonintubated patients with COVID-19 and hypoxemic acute respiratory failure. JAMA 2020.

Fadel R, Morrison AR, Vahia A, Smith ZR, Chaudry Z, Bhargava P et al. Early course corticosteroids in hospitalized patients with COVID-19. Clin Infect Dis 2020; 71:2114-2120.

Fakhar-e-Alam Kulyar M, Li R, Mehmood K, Waqas M, Li K, Li J. Potential influence of *Nagella sativa* (Black cumin) in reinforcing immune system: A hope to decelerate the COVID-19 pandemic. Phytomedicine 2021;

Falkenberg RI, Eising C, Peters ML. Yoga and immune system functioning: a systematic review of randomized controlled trials. J Behav Med 2018; 41:467-482.

Farnoosh G, Akbaariqomi M, Badri T, Bagheri M, Izadi M. Efficacy of a low dose of melatonin as an adjunctive therapy in hospitalized patients with COVID-19: A randomized, double-blind clinical trial. medRxiv 2021.

Fatima S, Zaidi SS, Alsharidah AS, Alijaser FS, Banu N. Possible prophylactic approach for SARS-CoV-2 infection by combination of melatonin, Vitamin C and Zinc in animals. Fronteirs in Veterinary Science 2020; 7:585789.

Fernandez J, Gratacos-Gines J, Olivas P, Costa M, Nieto S, Mateo D. Plasma exchange: An effective rescue therapy in critically ill patients with Coronavirus Disease 2019 infection. Crit Care Med 2020.

Finisguerra A, Borgatti R, Urgesi C. Non-invasive brain stimulation for the rehabilitation of children and adolescents with neurodevelopmental disorders: A systematic review. Fronteirs in Psychology 2019; 10:135.

Finkelstein Y, Aks SE, Hutson JR, Juurlink DN, Nguyen P, Pollak U. Colchicine poisoning: the dark side of an acient drug. Clinical Toxicology 2010; 48:407-414.

Fletcher RH. The risk of taking ascorbic acid. JAMA Intern Med 2013; 173:388-389.

Fontana F, Cazzato S, Giovanella S, Ballestri M, Leonelli M, Mori G. Oxalate nephropathy caused by excessive vitamin C administration in 2 patients with COVID-19. Kidney Int Rep 2020; 5:1815-1822.

Fowler AA, Truwit JD, Hite D, Morris PE, DeWilde C, Priday A et al. Vitamin C Infusion for TReatment In Sepsis-Induced Acute Lung Injury- CITRIS-ALI: A Randomized, Placebo Controlled Clinical Trial.

Francone M, Lafrate F, Masci GM, Coco S, Cilia F, Manganaro L et al. Chest CT score in COVID-19 patients: correlation with disease severity and short-term prognosis. European Radiology 2020;

Frank S, Brown SM, Capriotti JA, Westover JB, Pelletier JS. In vitro efficacy of a providone-iodine nasal antiseptic for rapid inactivation of SARS-CoV-2. JAMA Otolaryngol Head Neck Surg 2020; 146:1054-1058.

Franke C, Ferse C, Kreye J, Rocco A, Hosp J. High frequency of cerebrospinal fluid autoantibodies in COVID-19 patients with neurological symptoms. Brain, Behavor, and Immunity 2021.

Freedberg DE, Conigliaro J, Sobieszczyk ME, Markowitz DD. Famotidine use is associated with impoved clinical outcomes in hospitalized COVID-19 patients: A propensity score matched

Freitag K, Sterczyk N, Wendlinger S, Schulz J, Ralser M, Fleck L et al. Spermidine reduces neuroinflammation and soluble amyloid beta in an Alzheimer's disease mouse model. Journal of Neuroinflammation 2022;

Fung J, Moore J. The complete guide to fasting. Victory Belt Publishing; 2016.

Gallardo-Zapata J, Maldonado-Bernal C. Natural killer cell exhaustion in SARS-CoV-2 infection. Innate Gammoh NZ, Rink L. Zinc in Infection and Inflammation. Nutrients 2017; 9(6).

Gandolfi JV, Di Bernardo AP, Chanes DA, Martin DF, Joles VB, Amendola CP et al. The effects of melatonin supplementation on sleep quality and assessment of the serum melatonin in ICU patients: A randomized

Gassen NC, Papies J, Bajaj T, Dethloff F, Emanuel J, Weckmann K et al. Analysis of SARS-CoV-2 controlled autophagy reveals spermidine, MK-2206 and niclosamide as putative antiviral therapeutics. bioRxiv 2020.

Gattinoni L, Chiumello D, Caironi P, Busana M, Romitti F, Brazzi L. COVID-19 pneumonia: different respiratory treatment for different phenotypes? Intensive Care Med 2020; 46:1099-1102.

Gattinoni L, Chiumello D, Rossi S. COVID-19 pneumonia: ARDS or not? Crit Care 2020; 24:154.

Gattinoni L, Pesenti A. The concept of "baby lung". Intensive Care Med 2005; 31(6):776-784.

Geerts M, de Greef BT, Sopacua M, Faber CG. Intravenous immunoglobulin therapy in patients with painful idiopathic small fiber neuropathy. Neurology 2022; 96:e2534-e2545.

George PM, Wells AU, Jenkins RG. Pulmonary fibrosis and COVID-19: the potential role for antibibrotic Ghosh I, Sankhe R, Mudgal J, Arora D, Nampoothiri M. Spermidine, an autophagy inducer, as a therapeutic strategy in neurological disorders. Neuropeptides 2020; 83:102083.

Giamarellos-Bouboulis EJ, Netea MG, Rovina N, Akinosoglou K, Antoniadou A, Antonakos N et al. Complex immune dysregulation in COVID-19 patients with severe respiratory failure. Cell Host &

Giamarellos-Bourboulis EJ, Netea MG, Rovina N, Akinosoglou K. Complex immune dysregulation in COVID-19 patients with severe respiratory failure. medRxiv 2020.

Giannis D, allen SL, Tsang J, Flint S, Pinhasov T, Williams S. Post-discharge thromboembolic outcomes and mortality of hospitalized COVID-19 patients: The CORE-19 registry. Blood 2021.

Giuliani C, Bucci I, Di Santo S, Rossi C, Grassadonia A, Piantelli M. The flavonoid quercetin in hibits thyroid-restricted genes expression and thyroid function. Food and Chemical Toxicology 2014; 66:23-29.

Gold JE, Okyay R, Licht WE, Hurley DJ. Investigation of Long COVID prevalence and its relationship to Epstein-Barr Virus reactivation. Pathogens 2021; 10:763.

Goldhamer AC, Klaper M, Foorohar A, Myers TR. Water-only fasting and an exclusively plant foods diet in the management of stage IIIa, low-grade follicular lymphoma. BMJ Case Rep 2015;211582. Gonzalez-Castejon M, Visioli F, Rodrigues-Casado A. Diverse biological activities of dandelion. Nutr Gordon AC, Mouncey PR, Rowan KM, Nichol AD, Arabi YM, Annane D. Interleukin-6 receptor antagonists in critically ill patients with COVID-19 - Preliminary report. medRxiv 2021. Goren A, Vamo-Galvan S, Wambier CG, McCoy J. A preliminary observation: Male pattern hair loss among hospitalized COVID-19 patients in Spain- A potential clue to the role of androgens in COVID-Goren A, Wambler CG, Herrera S, McCoy J, Gioia F. Anti-androgens may protect against severe COVID-19 outcomes: results form a prospective cohort of 77 hospitalized men. JEADV 2021; 35:e13-Gorial FI, Mashhadani S, Sayaly HM, Dakhil BD, AlMashhadani MM. Effectiveness of Ivermectin as add-on therapy in COVID-19 management (Pilot Trial). medRxiv 2020. Gorres KL, Daigle D, Mohanram S, Mcinerney GE, Lyons DE. Valpromide inhibits Itic cycle reactivation of Epstein-Barr Virus. mBio 2016; 7:e00113-e00116. Grant WB, Lahore H, McDonnell SL, Baggerly CA, French Cb, Aliaono JL. Evidence that Vitamin D supplementation could reduce risk of influenza and COVID-19 infections and deaths. Nutrients 2020; 12:988. Green A, Roberts G, Tobery T, Vincent C, Barili M. In vitro assessment of the virucidal activity of four mouthwashes containing Cetyylpyridinium Chloride, ethanol, zinc and a mix of enzymes and proteins against Greenhalgh T, Knight M, A'Court C, Buxton M, Husain L. Management of post-acute Covid-19 in primary care. Griffith RS, Norins AL, Kagan C. A multicentered study of Lysine therapy in Herpes simplex infection. Griffith RS, Wlash DE, Myrmel KH, Thompson RW. Sucess of L-Lysine therapy in frequently recurrent Herpes simplex infection. Treatment and prophylaxis. Dermatologica 1987; 175:183-190. Guan W, Ni Z, Hu Y, Liang W, Ou C, He J. Clinical characteristics of Coronavirus disease 2019 in Gucyetmez B, Atalan HK, Sertdemir I, Cakir U, Telci L. Therapeutic plasma exchange in patients with COVID-19 pneumonia in intensive care unit: a retrospective study. Crit Care 2020; 24:492. Gupta AK, Venkataraman M, Talukder M, Bamimore MA. Finasteride for hair loss: a review. Journal of Gupta K, Strymish J, Stack G, Chamess M. Rapid relapse of symptomatic SARS-CoV-2 infection following early suppression with Nirmatrelvir/Ritonavir. Research Square 2022. Gutierrez S, Svahn SL, Johansson ME. Effects of omega-3 fatty acids on immune cells. Int J Mol Sci Gutierrez-Castrellon P, Gandara-Marti T, Abreu AT, Nieto-Rufino CD, Lopez-Orduna E. Probiotic improves symptomatic and viral clearance in Covid-19 outpatients: a randomized, quadruple-blinded, placebo-Guzzo CA, Furtek CI, Porras AG, Chen C, Tipping R, Clineschmidt CM. Safety, tolerability, and pharmacokinetics of escalating high doses of ivermectin in healthy adult subjects. J Clin Pharmacol 2002; Hachmann NP, Miller J, Collier AY, Ventura JD, Yu J. Neutralization escape by SARS-CoV-2 omicron subvariants BA.2.12.1, BA.\$, and BA.5. N Engl J Med 2022. Hadanny A, Abbott S, Suzin G, Bechor Y, Efrati S. Effect of hyperbaric oxygen therapy on chronic neurocognitive deficits of post-traumatic brain injury patients: retrospective analysis. BMJ Open 2018; Hamad I, Hunter AC, Szebeni J, Moghimi SM. Poly (ethylene glycol)s generate complement activation products in human serum through increased alternative pathway turnover and a MASP-2 dependnet process. Molecular Hamed MG, Hagaga RS. The possible immunoreulatory and anti-inflammatory effects of selective serotonin reuptake inhibitors in coronavirus disease patients. Medical Hypotheses 2020; 144:110140. Hamilton D, Jensen GS. Nutraceutical support of mitochondrial function associated with reduction of long-

Hammock BD, Wang W, Gilligan MM, Panigrahy D. Eicosanoids. The overlooked storm in Coronavirus Disease 2019 (COVID-19)? Am J Pathol 2020.

term fatigue and inflammation. Alternative Therapies in Health & Medicine 2021; 27:8-18.

```
Hammond J, Leister-Tebbe H, Gardner A, Abreu P, Bao W, Wisemandle W. Oral Nirmatrelvir for
high-risk, nonhospitalized adults with COVID-19. N Engl J Med 2022.
Han AY, Mukdad L, Long JL, Lopez IA. Anosmia in COVID-19: Mechanisms and significance. Chemical senses
Han CH, Zhang PX, Xu WG, Li RP. Polarization of macrophages in the blood after decompression in mice. 7
Han M, Pendem S, Teh SL, Sukumaran DK, Wu F, Wilson JX. Ascorbate protects endothelial barrier
function during septic insult: Role of protein phosphatase type 2A. Free Radic Biol Med 2010; 48:128-
Hannan A. Rahman A. Rahman S. Sohag AA. Dash R. Uddin J. Intermittent fasting, a possible priming tool for
host defense against SARS-CoV-2 infection: Crosstalk among calorie restriction, autophagy and immune
Hannan MA. Black Cumin (Nigella sativa L.): A Comprehensive Review on Phytochemistry, Health Benefits,
Molecular Pharmacology, and Safety. Nutrients 2021; 13(6).
Harasstaini OA, Moin S, Tham CL, Liew CY, Ismail N, Israf DA. Flavonoid combinations cause synergistic
inhibition of proinflammatory mediator secretion form lipopolysaccharide-induced RAW 264.7 cells.
Hartter S, Wang X, Weigmann H, Friedberg T, Arand M. Differential effects of fluvoxamine and
other antidepressants on the biotransformation of melatonin. J Clin Psychopharmacology 2021;
Harvey CJ. Combined diet and supplementation therapy resolves alopecia areata in apaediatric patient: A case
Hasan ZT, AlAtrakji MQ, Mehuaiden AK. The effect of melatonin on thrombosis, sepsis and mortality
rate in COVID-19 patients. International Journal of Infectious Diseases 2022; 114:79-84.
Hashem HE. In Silico approach of some selected honey constituents as SARS-CoV-2 main protease (COVID-19)
Hashemian SM, Shafigh N, Afzal G, Jamaati H, Tabarsi P, Marjani M. Plasmapheresis reduces cytokine and
immune cell levels in COVID-19 patients with acute respiratory distress syndrome (ARDS). Pulmonary 2021;
Hashim HA, Maulood MF, Rasheed AM, Fatak DF, Kabah KK. Controlled randomized clinical trial on
using Ivermectin with Doxycycline for treating COVID-19 patients in Bagdad, Iraq. medRxiv 2020.
Haymet A, Bassi GL, Fraser JF. Airborne spread of SARS-CoV-2 while using high-flow nasal cannula
oxygen therapy: myth or reality. Intensive Care Med 2020; 46:2248-2251.
Hazan S, Dave S, Gunaratne AW, Dolai S, Clancy RL, McCullough PA et al. Effectiveness of ivermectin-
based multidrug therrapy in severe hypoxic ambulatory COVID-19 patients. medRxiv 2021.
Hazan S, Stollman N, Bozkurt H, Dave S, Daniels J, Borody TJ. The missing microbes: Bifidobacterium and
Faecalibacterium depletion and loss of microbiome diversity as potential susceptibility markers for SARS-CoV-
Heaney RP, Armas LA, Shary JR, Bell NH, Binkley N, Hollis BW. 25-hydroxylation of vitamin D3:
relation to circulating vitamin D3 under various input conditions. Am J Clin Nutr 2008; 87:1738-1742.
Hekimian G, Kerneis M, Zeitouni M, Cohen-Aubart F, Chommeloux J. COVID-19 acute myocarditis
and multisystem inflanmmatory syndrome in Adult Intensive and cardiac Care Units. Chest 2020.
Hellwig MD, Maia A. A COVID-19 prophylaxis? Lower incidence associated with prophylactic administraion of
Hemila H. Zinc lozenges and the common cold: a meta-analysis comparing zinc acetate and zinc gluconate,
and the role of zinc dosage. J Royal Soc Med Open 2017; 8:1-7.
Hengartner MP, Amendola S, Kaminski JA. Suicide risk with selective serotonin reuptake inhibitors and other
new-generation antidepressants in adults: a systematic review and meta-analysis of observational studies. J
Hengartner MP, Ploderi M. Newer-generation antidepressants and suicide risk in randomized controlled trials:
A re-analysis of the FDA database. Psychother Psychosom 2019; 88:247-248.
Henriquez MS, de Tejada Romero MJ. Cholecalciferol or calcifediol in the management of vitamin D
Henry MB, Lippi G. Poor survival with extracorporeal membrane oxygenation in acute respiratory
distress syndrome (ARDS) due to coronavirus disease 2019 (COVID-19): Pooled analysis of early
Hermine O, Mariette X, Tharaux PL, Resche-Rignon M, Porcher R. Effect of tocilizumab vs usual care
in adults hospitalized with COVID-19 and moderate or severe pneumonia. A randomized Clinical
```

Hiedra R, Lo KB, Elbashabsheh M, Gul F, Wright RM. The use of IV vitamin C for patients with COVID-19: a case series. Exp Rev Anti Infect Ther 2020.

Hill A, Garratt A, Levi J, Falconer J, Ellis L, McCann K et al. Meta-analysis of randomized trials of ivermectin to treat SARS-CoV-2 infection. Open Forum Infectious Diseases 2021.

Hinduja A, Moutairou A, Calvet JH. Sudomotor dysfunction in patients recovered from COVID-19. Clinical Hine C, Mitchell JR. Saying No to drugs: Fasting protects hematopoietic stem cells from chemotherapy and Hoeger J, Simon TP, Beeker T, Marx G, Haase H. Persistent low serum zinc is associated with recurrent sepsis in critically ill patients - A pilot study. PloS ONE 2017; 12(5):e0176069.

Hoertel N, Sanchez-Rico M, Vernet R, Beeker N, Jannot AS, Neuraz A. Association between antidepressant use and reduced risk of intubation or death in hospitalized patients with COVId-19:

Hoertel N. Do the selective serotonin reuptake inhibitor antidepressants fluoxetine and fluvoxamine reduce mortality among patients with COVID-19? JAMA Network Open 2021; 4:e2136510.

Holford P, Carr AC, Zawari M, Vizcaychipi MP. Vitamin C intervention for Critical COVID-19: A pragmatic review of the current level of evidence. Life 2021; 11:1166.

Hong J, Barnes MJ, Kessler NJ. Case study: Use of vibration therapy in the treatment of diabetic peripheral small fiber neuropathy. International Journal of Diabetes Mellitus 2015; 3:72-75.

Hong SK, Kim HJ, Song CS, Choi IS, Lee JB. Nitazoxanide suppresses IL-6 production in LPS-stimulated mouse macrophages and TG-injected mice. International Immunopharmacology 2012; 13:23-27.

Hosseinzadeh A, Kamrava SK, Moore BC, Reiter RJ, Ghaznavi HK. Molecular aspects of melatonin treatment in tinnitus: A review. Current Drug Targets 2019; 20:1112-1128.

Hottz ED, Azevedo-Quintanilha Ig, Palhinha L, Teixeira L, Barreto EA. Platelet activation and platelet-monocyte aggregate formation trigger tissue factor expression in patients with severe COVID-19.

Houghton CA, Fassett RG, Coombes JS. Sulforane: translational research from laboratory bench to clinic. Nutr Howell AP, Parrett JL, Malcom DR. Impact of high-dose intravenous vitamin C for treatment of sepsis on point-of-care blood glucose readings. J Diabetes Sci Technol 2019.

Huang C, Huang L, Wang Y, Li X, Ren L, Gu X. 6-month consequences of COVID-19 in patients discharged feom Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. Lancet 2020; 395:497-506.

Huang X, Han S, Liu x, Wang T, Xu H. Both UFH and NAH alleviate shedding of endothelial glycocalyx and coagulopathy in LPS-induced sepsis. Exp Thera Med 2020; 19:913-922.

Hurmach Vv, Platonov MO, Prylutska SV, Scharff P, Ritter U. C60 fullerene against SARS-CoV-2 coronavirus: an in silico insight. Scientific Reports 2021; 11:17748.

Ichikado K, Muranaka H, Gushima Y, Kotani T, Nader HM, Fujimoto K et al. Fibroproliferative changes on high-resolution CT in the acute respiratory distress syndrome predict mortality and ventilator dependency: a prospective observational cohort study. BMJ Open 2012; 2:e000545.

Ichikado K, Suga M, Muller NL, Tangiguchi H, Kondoh Y, akira M. Acute interstitial pneumonia. Comparison of high-resolution computed tomography findings between survivors and nonsurvivors.

Ichikado K, Suga M, Muranka H, Gushima Y, Miyakawa H. Prediction of prognosis for acute respiratory distress syndrome with thin-section CT: Validation in 44 cases. Radiology 2006; 238:321-

Idrees D, Kumar V. SARS-CoV-2 spike protein interactions with amyloidogenic proteins: potenital clues to neurodegeneration. Biochemical and Biophysical Research Communications 2021; 554:94-98.

Iglesias J, Vassallo AV, Patel V, Sullivan JB, Cavanaugh J, Elbaga Y. Outcomes of metabolic resuscitation using ascorbic acid, thiamine, and glucocorticoids in the early treatment of sepsis.

loannou GN, Locke E, Green PK, Berry K. Comparison of Moderna versus Pfizer-BioNTech COVID-19 vaccine outcomes: A target trial emulation study in the U.S. Veterans Affairs healthcare system. EClinicalMedicine Ishima T, Fujita Y, Hashimoto K. Interaction of new antidepressants with sigma-1 receptor chaperones and their potentiation of neurite outgrowth in PC12 cells. Eur J Pharmacol 2014; 727:167-Isidori AM, Giannetta E, Pofi R, Venneri MA, Gianfrilli D, Campolo F. Targeting the NO-cGMP-PDE5 pathoway in COVID-19 infection. The DEDALO project. Andrology 2021; 9:33-38.

Islam MN, Hossain KS, Sarker PP, Ferdous J, Hannan A, Rahman M. Revisiting pharmacological potentials of

Nigella sativa seed: A promising option for COVID-19 prevention and cure. Phytotherapy Research 2021; Islam MT, Guha B, Hosen S, Alam T, Shahadat S. Nigellalogy: A review on Nigella Sativa. MOJ Bioequiv Availab Israel A, Cicurel A, Feldhamer I, Dror Y, Giveon SM, Gillis D et al. The link between vitamin D deficiency and Izquierdo JL, Soriano JB, Gonzalez Y, Lumbreras S. Use of N-Acetylcysteine at high doses as an oral treatment for patients with COVID-19. Science Progress 2022; 105.

Jacobs JJ. Neutralizing antibodies mediate virus-immue pathology of COVID-19. Med Hypotheses

Jalali F, Rezaie S, Rola P, Kyle-Sidell C. COVID-19 pathophysiology: Are platelets and serotonin hiding

Jamme M, Mazeraud A. Plasmapheresis efficiency in Coronavirus disease 2019: More related to what you add and not what you take away? Crit Care Med 2021.

Janiaud P, Axfors C, Schmitt AM, Glory V, Moher D. Association of convalescent plasma treatment with clinical outcomes in patients with COVID-19. A systematic review and meta-analysis. JAMA Janiri D, Carfi A, Kotzalidis GD, Bernabei R. Posttraumatic stress disorder in patients after severe COVID-19 Janowitz T, Baglenz E, Pattinson D, Wang TC, Conigliaro J. Famotidine use and quantitative symptom tracking for COVID-19 in non-hospitalized patients: a case series. Gut 2020; 69:1592-1597. Jans DA, Wagstaff KM. Ivermectin as a broad-spectrum host directed anti-viral: The real deal. Cells Javors MA, Houston JP, Tekell JL, Brannan SK, Frazer A. Reduction of platelet serotonin content in depressed patients treated with either paroxetine or desipramine. International Journal of Jayk Bernal A, da silva G, Musungaie DB, Kovalchuk A, Brown ML, Assaid C. Molnupiravir for oral treatment fo Covid-19 in nonhospitalized patients. N Engl J Med 2021.

Jeffreys L, Pennington SH, Duggan J, Breen A, Jinks J. Remdesivir-Ivermectin combination displays synergistic interactions with improved in vitro antiviral activity against SARS-CoV-2. bioRxiv 2020. Jehi L, Ji X, Milinovich A, erzurum S, Rubin B, Gordon S. Individualizing risk prediction for positive COVID-19 testing. Results from 11,672 patients. Chest 2020; 158:1364-1375.

Jena AB, Kanungo N, Nayak V, Chainy GB. Catechin and curcumin interact with S protein of SARS-CoV2 and ACE2 of human cell membrane: insights from computational studies. Scientific Reports 2021; 11:2043.

Jeronimo CM, Farias ME, Almeida FF, Sampaio VS, Alexandre MA, Melo GC. Methylprednisolone as adjunctive therapy for patients hospitalized with COVID-19 (Metcovid): A ramdomised, double-blind,

Jiang P. Does hypomagnesemia impact on the outcome of patients admitted to the intensive care unit? A systematic review and meta-analysis. Shock 2019; 47:288-295.

Jo S, Kim S, Shin DH, Kim MS. Inhibitions of SARS-CoV 3CL protease by flavonoids. Journal of Enzyme Inhibition and Medicinal Chemistry 2020; 35:145-151.

Jouffroy R, Jost D, Prunet B. Prehospital pulse oximetry: a red flag for early detection of silent hypoxemia in COVID-19 patients. Crit Care 2020; 24:313.

Kabinger F, Stiller C, Schmitzova J, Kokic G. Mechanism of molnupiravir-induced SARS-CoV-2 mutagenesis. Nature Structural and Molecular Biology 2021; 28:740-746.

Kakavas S, Karayiannis D, Mastora Z. The complex interplay between immunonutrition, mast cells, and histamine signaling in COVID-19. Nutrients 2021; 13:3458.

Kalfas S, Visvanathan K, Chan K, Drago J. The therapeutic potential of ivermectin for COVID-19: A systematic review of mechanisms and evidence. medRxiv 2020.

Kandeel M, Al-Nazawi M. Virtual screening and repurposing of FDA approved drugs against COVID-19 main

Kanne JP, Little BP, Chung JH, Elicker BM. Essentials for radiologists on COVID-19: an Update-Radiology Scientific Expert Panel. Radiology 2020.

Karatas F, Sahin S, sever AR, Altundag K. Management of hair loss assocaited with endocrine therapy in patients with breast cancer: an overview. SpringerPlus 2016; 5:585.

Karimi A, Naeini F, Azar VA, Hasanzadeh M. A comprehensive systematic review of the therapeutic effects and mechanisms of action of quercetin in sepsis. Phytomedicine 2021; 86:153567.

Karst M, Hollenhorst J, Achenbach J. Life-threatening course in coronavirus disease 2019 (COVID-19): Is there a link to methylenetetrahydrofolic acid reductase (MTHFR) polymorphism and hyperhomocysteinemia?

Kaufman HW, Niles JK, Kroll MH, Bi C, Holick MF. SARS-CoV-2 positivity rates associated with circulating 25-hydroxyvitamin D level. PloS ONE 2020; 15:e0239252.

Keihanian F, Saeidinia A, Bagheri RK, Johnston TP, Sahebkar A. Curcumin, hemostasis, thrombosis, and Keith P, Day M, Perkins L, Moyer L, Hewitt K, Wells A. A novel treatment approach to the novel coronavirus: an argument for the use of therapeutic plasma exchange for fulminant COVID-19. Crit Care 2020; 24:128.

Keith P, Wells AH, Hodges J, Fast SH. The therapeutic efficacy of adjunct therapeutic plasma exchange for septic shock with multiple organ failure: A single center experience. Crit Care 2020;

Kennedy RF. The Real Anthony Fauci. Bill Gates, Big Pharma, and the Global War on Democracy and Public Health. New York, NY: Skyhorse Publishing; 2021.

Kessler NJ, Hong J. Whole body vibration therapy for painful diabetic peripheral neuropathy: A Pilot study. Journal of Bodywork & Movement Therapies 2013; 17:518-522.

Khamis F, Al-Zakwani I, Al Hashmi S, Al Dowaiki S, Al Bahrani M. Therapeutic plasma exchange in adults with severe COVID-19 infection. Int J Infect DIs 2020; 99:214-218.

Khan MS, Khan MS, Debnath Cr, Nath PN, Mahtab MA. Ivermectin treatment may improve the prognosis of patients with COVID-19. Archivos de Bronconeumologia 2020.

Khandouzi N, Shidfar F, Rajab A, Rahideh T, Hosseini P, Taheri MM. The effects of Ginger on fasting blood sugar, hemoglobin A1C, Apolipoprotein B, Apolipoprotein A-1 and malondialdehyde in type 2 diabetic patients.

Khazdair MR, Ghafari S, Sadeghi M. Possible therapeutic effects of *Nigella sativa* and its thymoquinone on COVID-19. Pharmaceutical Biology 2021; 59:696-703.

Kiechl S, Pechlaner R, Willeit P, Notdurfier M, Paulweber B, Willeit K et al. Higher spermidine intake is linked to lower mortality: a prospective population-based study. Am J Clin Nutr 2018; 108:371-380.

Kim DH, Jeong D, Kim H, Seo KH. Modern perspectives on the health benefits of kefir in next generation sequencing era: Improvement of the host gut microbiota. Critical Reviews in Food Science and Nutrition

Kim JK, Park SU. Current potential health benefits of sulforaphane. EXCLI Journal 2016; 15:571-577.

Kim SY, Jin W, Sood A, Montgomery DW, Grant OC, Fuster MM. Characterization of heparin and severe acute respiratory syndrome-related coronavirus 2 (SARS-CoV-2) spike glycoprotein binding

Kiprov DD, Herskowitz A, Kim D, Lieb M, Liu C, Watanabe E. Case report. Therapeutic and immunomodulatory effects of plasmapheresis in long-haul COVID. F1000Research 2022; 10:1189.

Kircik LH, Del Rosso JQ, Layton AM, schauber J. Over 25 years of clinical experience with Ivermectin: An overview of safety for an increasing number of indications. J Drugs Dermatol 2016; 15:325-332.

Kjellberg A, De Maio A, Lindholm P. Can hyperbaric oxygen safely serve as an inti-inflammatory treatment for COVID-19? Medical Hypotheses 2020; 144:110224. Kleszczynski K, Slominski AT, Steinbrink K, Reiter RJ. Clinical trials for use of melatonin to fight COVID-19 are Klooker TK, Braak B, Koopman KE, Welting O, Wouters MM, Schemann M. The mast cell stabiliser ketotifen decreases visceral hypersensitivity and improves intestinal symptoms in patients with irritable bowel Knezevic P, Aleksic V, Simin N, Svircev E, Petrovic A. Antimicrobial activity of Eucalyptus camaldulenis essential oils and their interactions with conventional antimicrobial agents against multi-drug resistant Kniotek M, Boguska A. Sildenafil can affect innate and adaptive immune system in both experimental animals and patients. Journal of Immunology Research 2017; 2017:4541958. Ko JJ, Wu C, Mehta N, Wald-Dickler N, Yang W. A comparison of methylprednisolone and dexamethasone in intensive care patients with COVID-19. medRxiv 2021. Koehler P, Bassetti M, Chen SC, Colombo AL, Perfect JR. Defining and managing COVID-19associated pulmonary aspergillosis: the 2020 ECMM/ISHAM consensus criteria for research and Kolls JK, Garry RF. Role of the T cell vitamin D receptor in severe COVID-19. Nature Immunology 2022; 23:3-Kory P, Kanne JP. SARS-CoV-2 organizing pneumonia: "Has there been a widespread failure to identify and treat this prevalent condition in COVID-19?'. BMJ Open Resp Res 2020; 7:e000724. Kory P, Meduri GU, Iglesias J, Varon J, Berkowitz K, Kornfeld H et al. Review of the emerging evidence demonstrating the efficacy of ivermectin in the propphylaxis and treatment of COVID-19. ssrn 2020. Kory P, Meduri GU, Iglesias J, Varon J, Berkowitz K, Wagshul F et al. Review of the emerging evidencce supporting the use of Ivermectin in the prophylaxis and treatment of COVID-19. Front Line Covid-19 Critical Kotfis K, Lechowicz K, Drozdzal S, Wojdacz TK, Grywalska E. COVID-19-The potential beneficial therapeutic effects of spironolactone during SARS-CoV-2 infection. Pharmaceuticals 2021; 14:71. Kou X, Chen N. Resveratrol and natural autophagy regulator for prevention and treatment of Alzheimers Krause DN, Warfvinge K, Haanes KA, Edvinsson L. Hormonal influences in migraine - interactions of oestrogen, oxytocin and CGRP. Nature Reviews Neurology 2021; 17:621-633. Kumar P, Osahon O, Vides DB, Hanania N, Minard CG. Severe glutathione deficiency, oxidative stress and oxidant damage in adults hospitalized with COVID-19: implications for GlyNac (Glycine and N-Kumari P, Dembra S, Dembra P, Bhawna F, Gul A, Ali B. The role of vitamin C as adjuvant therapy in Kunnumakkara AB, Harsha C, Banik K, Vikkurthi R, Sailo BL, Bordoloi D. Is curcumin bioavailability a problem in humans: Lessons from clinical trials. Expert Opinion on Drug Metabolism & Toxicology Kunutsor SK, Seidu S, Blom AW, Khunti K. Serum C-reactive protein increases the risk of venous thromboembolism: a prospective study and meta-analysis of published prospective evidence. Eur J Kurcicka L, Lauer SA, Laeyendecker O, Boon D, Lessler J. Variation in false-negative rate of reverse transcriptase polmerase chain reacion-based SARS-CoV-2 tests by time since exposure. Ann Intern Kuyandik A, Ozcan E, Serin S, Sungurtekin H. Creutzfeldt-Jakob disease after COVID-19 vaccination. Turk J Kwon PS, Oh H, Kwon SJ, Jin W, Zhang F, Fraser K et al. Sulphated polysaccharides effectively inhibit SARS-CoV-2 in vitro. Cell Discovery 2020; 6:50. Ladapo JA, McKinnon JE, McCullough PA, Risch HA. Randomized controlled trials of early ambulatory hydroxychloroguine in the prevention of COVID-19 infection, hospitalization, and death: Meta-Langguth B, Elgoyhen AB, Cederroth CR. Therapeutic approaches to the treatment of tinnitus. Ann Rev Langguth B. Pharmacological approaches to the treatment of tinnitus. Drug Discovery Today 2010; 15:300-Langguth B. Treatment of tinnitus. Curr Opin Otolaryngol Head Neck Surg 2015; 23:361-368. Lankadeva YR, Peiris RM, Okazaki N, Birchall IE, Doenom A, Evans RG et al. Reversal of the

pathophysiological responses to Gram-negative sepsis by megadose Vitamin C. Crit Care Med 2020.

LaRocca TJ, Gioscia-Ryan RA, Hearon CM, Seals DR. The autophagy enhancer spermidine reverses arterial aging. Larsson P, Alwis I, Niego B, Glise L, Daglas M, Jackson SP. Valproic acid selectively increases vascular endothelial tissue -type plasminogen activator production and reduces thrombus formation in the mouse. J Lau FH, Majumder R, Torabi R, Saeg F, Hoffman R, Cirillo JD. Vitamin D insufficiency is prevalent in severe Lau T, Horschitz S, Berger S, Bartsch D, Schloss P. Antidepressant-induced internalization of the serotonin transporter in serotonergic neurons. FASEB J 2008; 22:1702-1714.

Lavinio A, Ercole A, Battaglini D, Magnoni S, Badenes R, Thomas W et al. Safety profile of enhanced thromboprophylaxis strategies for critically ill COVID-19 patients during the first wave of the pandemic: observational report from 28 European intensive care units. Crit Care 2021; 25:155.

Lawton JM, Conway LT, Crosson JT, Smith CL, Abraham PA. Acute oxalate nephropathy after massive ascorbic acid administration. Arch Intern Med 1985; 145(5):950-951.

Le Balc'h P, Pinceaux K, Pronier C, Seguin P, Reizine F. Herpes simplex virus and cytomegalovirus reactivations among severe COVID-19 patients. Crit Care 2020; 24:530.

Lee CR, Zeldin DC. Resolvin infectious inflammation by targeting the host response. N Engl J Med Lee CY, Jan WC, Tsai PS, Huang CJ. Magnesium sulfate mitigates acute lung injury in endotoxemia Lee MJ, Leong MW, Rustagi A, Beck A, Zeng L, Holmes S. SARS-CoV-2 escapes direct NK cell killing through Nsp1-mediated downreglaion of ligands NKG2D. bioRxiv 2022.

Lee MR, Wehring HJ, McMahon RP, Cascella N, Liu F, Bellack A et al. Effects of adjunctive intranasal oxytocin on olfactory identification and clinical symptoms in schizophrenia: Results from a randomized double blind

Lee TC, Vigod S, Hanula R, Boulware DR, Lenze EJ. Fluvoxamine for outpatient COVID-19 to prevent hospitalization: A systematic review and meta-analysis. JAMA Network Open 2021; 5:e226269.

Lehrer S, Rheinstein PH. Ivermectin docks to the SARS-CoV-2 spike receptor-binding domain Leisman DE, Deutschman CS, Legrand M. Facing COVID-19 in the ICU: vascular dysfunction, thrombosis, and dysregulated inflammation. Intensive Care Med 2020; 46:1105-1108.

Lenze EJ, Mattar C, Zorumski CF, Stevens A, Nicol GE, Miller JP. Fluvoxamine vs placebo and clinical deterioration in outpatietns with symptomatic COVID-19. A randomized clinical trial. JAMA 2020.

Leuner B, Caponiti JM, Gould E. Oxytocin stimulates adult neurogenesis even under conditions of stress and elevated glucocorticoids. Hippocampus 2012; 22:861-868.

Levenson CW. Zinc: The new antidepressant? Nutr Rev 2006; 64:39-42.

Levine TD, Kafaie J, Zeidman LA, Saperstein DS, Bland RJ. Cryptogenic small-fiber neuropathies: Serum autoantibody binding to trisulfated heparin disaccharide and fibroblast growth factor receptor-3. Muscle & Leyva-Lopez N, Gutierrez-Grijalva EP, Ambriz-Perez D. Flavonoids as cytokine modulators: A possible therapy for inflammation-related diseases. Int J Mol Sci 2016; 17:921.

Li G, Wu Z, Shang J, Xie Z, Chen C, Zhang C. The effects of metformin on autophagy. Biomedicine & Li K, Wu J, Wu F, Guo D, Cen L, Fang Z et al. The clinical and chest CT features associated with severe and critical COVID-19 pneumonia. Investigative Radiology 2020; 55:1-5.

Li L, Zhang W, Hu Y, Tong X, Zeng S, Yang J. Effect of convalescent plasma therapy on time to clinical improvement in patients with severe and life-threatening COVID-19. A randomized clinical

Li MY, Li L, Zhang Y, Wang XS. Expression of the SARS-CoV-2 cell receptor gene ACE2 in a wide variety of human tissues. Infectious Diseases of Poverty 2020; 9:45.

Li S, Jiang L, Li X, Lin F, Wang Y, Li B. Clinical and pathological investigation of patients with severe Li Y, Yao J, Han C, Yang J, Chaudhry MT, Wang S et al. Quercetin, inflammation and immunity. Nutrients 2016; Liadet L, Szabo C. Blocking mineralocorticoid receptor with spironolactone may have a wide range of therapeutic actions in severe COVID-19 disease. Crit Care 2020; 24:318.

Lin OA, Karim ZA, Vemana HP, Espinosa EV, Khasawneh FT. The antidepressant 5-HT2a receptor antagonists Pizotifen and cyproheptadine inhibit serotonin-enhanced platelet function. PloS ONE Lips P, de Jongh RT, van schoor NM. Trends in Vitamin D status around the world. JBMR Plus 2021; 5:e10585. Liu J, Liang H, Chen C, Wang X, Qu F, Wang H. Ivermectin induces autophagy-mediated cell death through AKT/mTOR signaling pathway in glioma cells. Bioscience Reports 2019; 39:BSR20192489. Liu J, Zheng X, Huang Y, Shan H, Huang J. Successful use of methylprednisolone for treating severe Liu S, Sheng J, Li B, Zhang X. Recent advances in non-invasive brain stimulation for major depressive disorder. Fronteirs in Human Neuroscience 2017; 11:526. Liu SL, Li YH, Shi GY, Chen YH, Huang CW, Hong JS. A novel inhibitory effect of naloxone on macrophage activation and atherosclerosis formation in mice. J Am Coll Cardiol 2006; 48:1871-1879. LLie PC, Stefanescu S, Smith L. The role of vitamin D in the prevention of coronavirus disease 2019 infection Logue JK, Franko NM, McCulloch DJ, McDonald D. Sequelae in adults at 6 months after COVID-19 infection. Lopes RD, Furtado RH, Bronhara B, Damiani LP, Barbosa LM. Therapeutic versus prophylactic anticoagulation for patients admitted to hospital with COVID-19 and elevated D-dimer concentraion (ACTION): an open-label, multicentre, randomised, controlled trial. Lancet 2021; 397:2253-2263. Loucera C, Pena-Chilet M, Esteban-Medina M, Villegas R, Lopez-Miranda J. Real world evidence of calcifediol use and mortality rate of COVID-19 hospitalized in a large cohort of 16,401 Adalusian Loucera C, Pena-Chilet M, Esteban-Medina M, Villegas R, Tunez I. Real world evidence of calcifediol or vitamin D prescription and mortality rate of COVID-19 in a retrospective cohort of hospitalized Lu Y, Li X, Geng D, Mei N, Wu PY, Huang CC. Cerebral micro-structutal changes in COVID-19 patients - An MRIbased 3-month follow-up study. EClinical Medicine 2020. Lucas JM, Heinlein C, Kim T, Hernandez SA, Malik MS, True LD. The androgen-regulated protease TMPRSS2 activates a proteolytic cascade involving components of the tumor microenvironment and Luks AM, Swenson ER. Pulse oximetry for monitoring patients with COVID-19 at home: Potential pitfalls and practical guidance. Ann Thorac Med 2020. Luvanda M, Posch W, Vosper J, Zaderer V, Noureen A, Lass-Florl C. Dexamethasone promotes Aspergillus fumigatus growth in macrophages by triggering M2 repolarization via targeting PKM2. J Fungi 2021; 7:70. Ma KL, Liu ZH, Cao CF, Liu MK, Liao J. COVID-19 myocarditis and severity factors: An adult cohort Ma W, Zhang J, Guo L, Wang Y, Lu S, Wang Z et al. Suppressed androgen receptor expression promotes M2 macrophage reprogramming through the STAT3/SOCS3 pathway. EXCLI Journal 2019; 18:21-29. Ma WH, Zhang XG, Guo LL, Zhang JB, Wei FT. Androgen receptor inhibition alleviated inflammation in experimental autoimmune myocarditis by increasing autophagy in macrophages. European Review for MacDonald K, McDonald TM. The peptide that binds: A systematic review of oxytocin and its prosocial effects in humans. Harv Rev Psychiatry 2010; 18:1-21. MacLean MR, Herve P, Eddahibi S, Adnot S. 5-hydroxytryptamine and the pulmonary circulation: receptors, transporters and the relevance to pulmonary arterial hypertension. Br J Pharmacol 2000; Maghbooli Z, Sahraian MA, Ebrahimi M, Pazoki M, Kafan S. Vitamin D sufficiency, a serum 25-hydroxyvitamin D at least 30 ng/ml reduced risk for adverse clinical outcomes in patients with COVID-19 infection. PloS ONE Magro CM, Mulvey JJ, Laurence J, seshan S, Crowson AN, Harp J. Docked severe acute respiratory syndrome coronavirus 2 proteins within the cutaneous and subcutaneous microvasculature and their role in the Mahmud R, Rahman M, Alam I, Ahmed KG, Kabir H, Sayeed SK et al. Ivermectin in combination with doxycycline for treating COVID-19 symptoms: a randomized trial. J Int Med Res 2021; 49:1-14. Mallat J, Lemyze M, Thevenin D. Do not forget to give thiamine to your septic shock patient! J Malone B, Campbell EA. Molnupiravir: coding for a catastrophe. Nature Structural and Molecular

Malone RW, Tisdall P, Fremont-Smith P, Liu Y, Huang XP, White KM. COVID-19: Famotidine, Histamine, Mast Cells, and mechanisms. Research Square 2020.

Mandal S, Barnett J, Brill SE, Brown JS, Hare SS. 'Long-COVID': a cross-sectional study of persisting symptoms, biomarker and imaging abnormalities following hospitalization for COVID-19. Thorax 2020.

Marconi VC, Ramanan AV, de Bono S, Kartman CE, Krishnan V. Efficacy and safety of baricitinib for the treament of hospitalized adults with COVID-19 (COV-BARRIER): a randomised, double-

Marforio TD, Mattioli EJ, Zerbetto F, Calvaresi M. Fullerenes against COVID-19: Repurposing C50 and C70 to clog the active site of SARS-CoV-2 protease. Molecules 2022; 27:1916.

Marik P, Iglesias J, Varon J, Kory P. A Scoping Review of the pathophysiology of COVID-19. International Journal of Immunopathology and Pharmacology 2021.

Marik PE, DePerrior SE, Ahmad Q, Dodani S. Gender-based disparities in COVID-19 patient outcomes. Journal of Investigative Medicine 2021; 69:814-818.

Marik PE, Khangoora V, Rivera R, Hooper MH, Catravas J. Hydrocortisone, Vitamin C and Thiamine for the treatment of severe sepsis and septic shock: A retrospective before-after study. Chest 2017;

Marik PE, Kory P, Varon J. Does vitamin D status impact mortlality from SARS-CoV-2 infection? Medicine in

Marik PE, Stephenson E. The ability of procalcitonin, lactate, white blood cell count and neutrophillymphocyte count ratio to predict blood stream infection. Analysis of a large database. J Crit Care

Marik PE. Hydrocortisone, Ascorbic Acid and Thiamine (HAT therapy) for the treatment of sepsis. Focus on

Marik PE. Thiamine: An essential component of the metabolic resuscitation protocol. Crit Care Med

Marik PE. Vitamin C for the treatment of sepsis: The scientific rationale. Pharmacol Therapeut 2018; 189:63-

Mario L, Roberto M, Marta L, Teresa CM, Laura M. Hypothesis of COVID-19 therapy with sildenafil. International Journal of Preventive Medicine 2020; 11:76.

MartinezDevesda P, Waddell A, Perera R, Theodoulou M. Cognitive behavioral therapy for tinnitus (Review). Cochrane Database of Syst Rev 2007; (CD005233).

Mashour S, Turner JF, Merrell R. Acute renal failure, oxalosis, and vitamin C supplementation: a case report and review of the literature. Chest 2000; 118(2):561-563.

Mather JF, Seip RL, McKay RG. Impact of famotidine use on clinical outcomes of hospitalized COVID-Matsushita H, Latt HM, Koga Y, Nishiki T, Matsui H. Oxytocin and stress: Neural mechanisms, stress-related disorders, and therapeutic approaches. Neuroscience 2019; 417:1-10.

Maurer-Spurej E, Pittendreigh C, Solomons K. The influence of selective serotonin reuptake inhibitors on human platelet serotonin. Thromb Haemost 2004; 91:119-128.

Maurya DK. A combination of Ivermectin and Doxycycline possibly blocks the viral entry and modulate the innate immune response in COVID-19 patients. ChemRxiv 2020.

May JM, Qu ZC. Ascorbic acid prevents oxidant-induced increases in endothelial permeability.

McClure D, Greenman SC, Koppulu SS, Varvara M, Yaseen ZS, Galynker II. A pilot study of safety and efficacy of cranil electrotherapy stimulation in treatment of bipolar II depression. J Nerv Ment Dis 2015; 203:827-835.

McCoy J, Cadegiani FA, Wambler CG, Herrera S, Goren A. 5-alpha-reductase inhibitors are associated with reduced frequency of COVID-19 symptoms in males with androgenic alopecia.

McCoy J, Goren A, Cadegiani FA, Vano-Galvan S, Kovacevic M, Situm M et al. Proxalutamide reduces the rates of hospitalization for COVID-19 male outpatients: A randomized double-blinded placebo-

McCullough PA, Alexander PE, Armstrong R, Arvinte C, Bain AF, Bartlett RP et al. Multifaceted highly targeted sequential multidrug treatment of early ambulatory high-risk SARS-CoV-2 infection (COVID-

McCullough PA, Kelly RJ, Ruocco G, Lerma E, Tumlin J, Wheelan KR et al. Pathophysiological basis and rationale for Early Outpatient Treatment of SARS-CoV-2 (COVID-19) infection. Am J Med 2021;

McGonagle D, Sharif K, O'Regan A, Bridgewood C. The role of cytokines including interleukin-6 in COVID-19 induces pneumonia and macrophage activation syndrome-like disease. Autoimmunity

McGoon MD, Vanhoutte PM. Aggregating platelets contract isolated canine pulmonary arteries by releasing 5-hydroxytryptamine. J Clin Invest 1984; 74:823-833.

McHugh GJ, Graber ML, Freebairn RC. Fatal vitamin C-associated acute renal failure. Anaesth Intensive Care Meduri GU, Bridges L, Shih MC, Marik PE, Siemienluk RA, Kocak M. Prolonged glucocorticoid treatment is associated with improved ARDS outomces: analysis of individual patients' data from four randomized trials and trial-level meta-analysis of the updated literature. Intensive Care Med Mehta P, McAuley DF, Brown M, Sanchez E, Tattersall RS, Manson JJ. COVID-19: consider cytokine

Meister TL, Briggemann Y, Todt D, Muller JA, Grob R. Virucidal efficacy of different oral rinses against severe acute respiratory syndrome coronavirus 2. J Infect Dis 2020; 222:1289-1292.

storm syndromes and immunosuppression. Lancet 2020; 395:1033-1034.

Menendez-Arias L. Decoding molnupiravir-induced mutagenesis in SARS-CoV-2. J Biol Chem 2021; Menezes RR, Godin AM, Rodrigues FF, Coura GM, Melo IS, Brito AM. Thiamine and riboflavin inhibit production of cytokines and increase the anti-inflammatory activity of a corticosteroid in a chronic model of inflammation induced by complete Freund's adjuvant. Pharmacological Reports 2020;

Merchant HA. CoViD-19: An early intervention therapeutic strategy to prevent developing a severe disease as an alternative approach to control the pandemic. medRxiv 2021.

Michelen M, Manoharan L, Elkheir N, Cheng V, Dagens D, Hastie C. Characterising long-term covid-19: a rapid Minois N, Bauer MA, Rockenfeller P, Eisneber T, Brandhorst S, Kroemer G. Spermidine promotes stress resistance in Drosophilia melanogaster through autophagy-dependent and -independent pathways. Cell Miranda-Massari JR, Toro AP, Loh D, Rodriguez JR, Borges RM. The effects of vitamin C on the multiple pathological stages of COVID-19. Life 2021; 11:1341.

Misra HS, rajpurohit YS, Khairnar NP. Pyrroloquinoline-quinone and its versatile roles in biological processes. Moballegh Nasery M, Abadi B, Poormoghadam D, Zarrabi A, Keyhanvar P, Tavakol S et al. Curcumin delivery mediated by bio-based nanoparticles: A review. Molecules 2020; 25:689.

Mogil RJ, Kaste SC, Ferry RJ, Hudson MM, Howell CR. Effect of low-magnitude, high-frequency mechanical stimulation on BMD among young childhood cancer survivors. A randomized clinical trial. JAMA Oncol 2016;

Mohabatkar H, Behbahani M, Moradi M. A concise in silico prediction report of a potential prion-like doman in SARS-CoV-2 polyprotein. Journal of Microbiology, Biotechnology and Food Sciences 2021; 11:e4813.

Mohamed M, Lila AS, Shimizu T, Alaaeldin E, Hussein A, Sarhan HA et al. PEGylated liposomes: immunological responses. Science and Technology of Advanced Materials 2019; 20:710-724.

Mokhtari RB, Baluch N, Homayouni TS, Kumar S, Yeger H. The role of sulforaphane in cancer chemoprevention and health benefits: a mini-review. J Cell Commun Signal 2018; 12:91-101.

Molina-Carballo A, Palacios-Lopez R, Jerez-Calero A, Agil A. Protective effect of melatonin administration against SARS-CoV-2 infection: A systematic review. Current Issues in Molecular Biology 2022; 44:31-45.

Moore JB, June CH. Cytokine release syndrome in severe COVID-19. Science 2020.

Mooventhan A, Nivethitha L. Scientific evidence-based effects of hydrotherapy on various systems of the body. North American Journal of Medical Sciences 2014; 6:199-209.

Moozhipurath RK, Kraft L, Skiera B. Evidence of protective role of Ultraviolet-B (UVB) radiation in reducing COVID-19 deaths. Nature Research 2020; 10:17705.

Morath C, Weigand MA, Zeier M, Speer C, Tiwari-Heckler S. Plasma exchange in critically ill COVID-19 patients.

```
Ivermectin as a SARS-CoV-2 pre-exposure prophylaxis method in Healthcare Workers. medRxiv 2021.
Morishita H, Mizushima N. Diverse cellular roles of autophagy. Annu Rev Cell Dev Biol 2019; 35:3.1-3.23.
Morselli E, Galluzzi L, Kepp O, Criollo A, Maiuri MC, Madeo F. Autophagy mediates pharmacological lifespan
extension by spermidine and resveratrol. Aging 2009; 1:961-970.
Morselli E, Marino G, Bennetzen MV, Eisenberg T, Megalou E, Schroeder S et al. Spermidine and resveratrol
induce autophagy by distinct pathways converging on the acetylproteome. J Cell Biol 2022; 192:615-629.
Moskowitz A, Donnino MW. Thiamine (vitamin B1) in septic shock: a targeted therapy. J Thorac Dis
Mostafa DK, Khedr MM, Barakat MK, Abdellatif AA, Elsharkawy AM. Autophagy blockade mechanistically links
proton pump inhibitors to worsened diabetic nephropathy and aborts the renoprotection of
Mostafa-Hedeab G, Al-kuraishy HM, Al-Gareeb AA, Jeandet P, Saaad HM, El-Saber Batiha G. A raising dawn of
pentoxifylline in the management of inflammatory disorders in Covid-19. Inflammopharmacology 2022.
Mudatsir M, Yufika A, Nainu F, Frediansyah A, Megawati D. Antiviral activity of ivermectin against
SARS-CoV-2: an old-fashioned dog with a new trick- Literature review. Sci Pharm 2020; 88:36.
Muller C, Karl N, Ziebuhr J, Pleschka S. D,L-lysine acetylsalicylate + glycine impairs coronavirus
Murai IH, Fernandes AL, Sales LP, Pinto AJ, Goessler KF. Effect of vitamin D3 supplementaion vs placebo on
hospital length of stay in patients with severe COVID-19: A multicenter, double-blind, randomized controlled
Murshed MR, Bhiuyan E, Saber S, Alam RF, Robin RF. A case series of 100 COVID-19 positive
patients treated with combination of Ivermectin and Doxycycline. Bangladesh Coll Phys Surg 2020;
Mutz J, Edgcumbe DR, Brunoni AR, Fu CH. Efficacy and acceptability of non-invasive brain stimulation for the
treatment of adult unipolar and bipolar depression: A ystematic review and meta-analysis of randomised
Nain Z, Rana HK, Lio P, Islam SM, Summers MA, Moni MA. Pathogenic profiling of COVID-19 and SARS-like
Nair MP, Kandaswami C, Mahajan S, Chadha KC, Chawda R, Nair H. The flavonoid, guercetin, differentially
regulates Th-1 (INF) and Th-2 (IL4) cytokine gene expression by normal peripheral blood mononuclear cells.
Ndeupen S, Qin Z, Jacobsen S, Bouteau A, Estanbouli H, Igyarto BZ. The mRNA-LNP platform's lipid
nanoparticle component used in preclinical vaccine studies is highly inflammatory. iScience 2021;
Neil M, Fenton N, Smalley J, Craig C, Guetzkow J, Rose J. Latest statistics on England mortality data suggest
systematic mis-categorisation of vaccine status and uncertain effectiveness of Covid-19 vaccination. Research
Nejat R, Sadr AS, Freitas BT, Murray J, Pegan SD. Losartan inhibits SARS-CoV-2 replication in vitro. J
Ng WK, Rosenblatt Y, Brock GB, O'Gorman DB, Gan BS. Phosphodiesterase inhibitors in vascular ischemia: A
case report and review of their use in ischemic conditions. Can J Plast Surg 2010; 18:e5-e9.
Nguyen B, Tosti A. Alopecia in COVID-19: Systematic review and meta-analysis. JAAD International 2022; 7:67-
Ngwasiri CA, Abanda MH, Aminde LN. Ivermectin-induced fixed drug eruption in an elderly Cameroonian: a
case report. Journal of Medical Case Reports 2018; 12:254.
Niaee MS, Gheibl N, Namdar P, Allami A, Javadi A. Ivermectin as an adjunct treatment for
hospitalized adult COVID-19 patients: A randomized multi-center clinical trial. Research Square
Nichols AJ, Hughs OB, Canazza A, Zaiac M. An open-label evaluator blinded study of the efficacy and safety of a
new nutritional supplement in androgenic alopecia: A pilot study. Journal of Clinical and Aesthetic
Nicolas P, Maia MF, Bassat Q, Kobylinski KC, Monteiro W. Safety of oral ivermectin during pregnancy: a
systematic review and meta-analysis. Lancet Glob Health 2020; 8:e92-e100.
Nicolson GL, Rosenblatt S, de Mattos GF, Settineri R, Breeding PC, Ash ME. Clinical uses of membrane lipid
replacement supplements in restoring membrane function and reducing fatigue in chronic disease and
Nicolson GL, Settineri R, Ellithorpe R. Lipid replacement therapy with a glycopholipid formulation of NADH
and CoQ10 significantl reduces fatigue in intractable chronic fatiguing illnesses and chronic lyme disease
```

Morgenstern J, Redondo JN, Olavarria A, Rondon I, Roca S, De Leon A et al. Retrospective cohort study of

```
Nicolson GL, Settineri R. Lipid replacement therapy: a functional food approach with new formulations for
reducing cellular oxidative damage, cancer-associated fatigue and the adverse effects of cancer therapy.
Nieman DC, Kay CD, Rathore AS, Grace MH, Strauch RC. Increased Plasma Levels of Gut-Derived Phenolics
Linked to Walking and Running Following Two Weeks of Flavonoid Supplementation. Nutrients 2018; 10(11).
Nieman DC, Ramamoorthy S, Kay CD, Goodman CL, Capps CR, Shue ZL. Influence of Ingesting a Flavonoid-Rich
Supplement on the Metabolome and Concentration of Urine Phenolics in Overweight/Obese Women. Journal
Nieman DC, Simonson A, Sakaguchi CA, Sha W, Blevins T. Acute Ingestion of a Mixed Flavonoid and Caffeine
Supplement Increases Energy Expenditure and Fat Oxidation in Adult Women: A Randomized, Crossover
Nogues X, Overjero D, Pineda-Moncus M, Bouillon R. Calcifediol treatment and COVId-19-related
Nowak G, Szewczyk B, Pilc A. Zinc and depression. An update. Pharmacological Reports 2005; 57:713-718.
Nowotarski SL, Woster PM, Casero RA. Polyamines and cancer: implications for chemoprevention and
Nunez-Castilla J, Stebliankin V, Baral P, Balbin CA, Sobhan M, Cickovski T et al. Potential autoimmunity
resulting from molecular mimicry between SARS-CoV-2 spike and human proteins. Viruses 2022; 14:1415.
Nystrom S, Hammarstrom P. Amyloidogenesis of SARS-CoV-2 spike protein. Journal of the American Chemical
Oaklander AL, Mills AJ, Kelley M, Toran MK. Peripheral neuropathy evaluations of patients with prolonged
long COVID. Neurol Neuroimmunol Neuroinflamm 2022; 9:e1146.
Ohgitani E, Shin-Ya M, Ichitani M, Kobayashi M, Takihara T. Rapid inactivation in vitro of SARS-CoV-2 in saliva
Ohl ME, Miller DR, Lund BC, Kobayashi T, Miell KR. Association of remdesivir treatment with survival
and length of hospital stay among US veterans hospitalized with COVID-19. JAMA Network Open
Olajide O, Iwuanyanwu VU, Adegbola OD, Al-Hindawi AA. SARS-CoV-2 spike glycoprotein S1 induces
neuroinflammation in BV-2 microglia. Molecular Neurobiology 2022; 59:45-458.
Olas B. New perspectives on the effect of dandelion, its food products and other preparations on the
cardiovascular system and its diseases. Nutrients 2022; 14:1350.
Oliaei S, Mehrtak M, Karimi A, Noori T, Shojaei A, Dadras O. The effects of hyperbaric oxygen therapy (HBOT) on
coronavirus disease-2019 (COVID-19): a systematic review. Eur J Med Res 2021; 26:96.
Ornaghi S, Davis JN, Gorres KL, Miller G, Paidas MJ. Mood stabilizers inhibit cytomegalovirus infection.
Oskotsky T, Maric I, Tang A, Oskotsky B, Wong RJ, Sirota M. Mortality risk among patients with
COVID-19 prescribed selective serotonin reuptake inhibitor antidepressants. JAMA Network Open
Ospina-Tascon GA, Calderon-Tapia LE, Garcia AF, Zarama V, Vargas MP, Vaaron J. Effect of high-
flow oxygen therapy vs conventional oxygen therapy on invasive mechanical ventilation and clinical
recovery in patients with severe COVID-19. A randomized clinical trial. JAMA 2021; 326:2161-2171.
Padmanabhan S, Padmanabhan K. The devil is in the dosing-targeting the interferon pathway by
repositioning Nitazoxanide against COVID-19. Research Square 2021.
Pan F, Ye T, Sun P, Gui S, Liang B, Li L. Time course of lung changes at Chest CT during recovery from
Coronavirus Disease 2019 (COVID-19). Radiology 2021; 295:715-721.
Pan H, Peto R, Karim QA, Alejandria M, Henao-Restrepo AM. Repurposed antiviral drugs for COVID-
19 - interim WHO SOLIDARITY trial. medrx 2020.
Panahi Y, Khedmat H, Valizadegan G, Mohtashami R, Sahebkar A. Efficacy and safety of Aloe vera syrup for the
treatment of gastro-esophageal reflux disease: a pilot randomized positive-controlled trial. J Tradit Chin Med
Pappa S, Barmparessou Z, Sakka E, Sakkas N, Pappas A. Depression, Insomnia and post-traumatic stress
```

disorder in COVID-19 survivors: Role of gender and impact on quality of life. J Pers Med 2022; 12:486. Parhiz H, Brenner JS, Patel PN, Papp TE, Li Q, Shi R. Added to pre-existing inflammation, mRNA-lipid nanoparticles induce inflammation exacerbations (IE). Journal of Controlled Release 2022; 344:50-61.

Park D, Jeong H, Lee MN, Koh A, Kwon O, Yang YR et al. Resveratrol induces autophagy by directly inhibiting mTOR through ATP competition. Scientific Reports 2016; 6:21772.

Parry AH, Wani AH, Shah NN, Yaseen M, Jehangir M. Chest CT features of coronavirus disease-19 (COVID-19) pnemonia: which findings on initial CT can predict an adverse short-term outcome? BJR

Parvez SA, Saha MK, Araf Y, Islam T, Ohtsuki G. Insights from a computational analysis of the SARS-CoV-2 Omicron variant: Host-pathogen interaction, pathogenicity, and possible therapeutics.

Pascolini S, Vannini A, Deleonardi G, Ciordinik M, Sensoli A. COVID-19 and immunological dysregulation: can autoantibodies be useful? Clin Trans Sci 2021; 14:502-508.

Patel AB, Theoharides TC. Methoxyluteolin inhibits neuropeptide-stimulated proinflammatory mediator release via mTOR activation from human mast cells. J Pharmacol Exp Ther 2017; 361:462-471.

Patel AN, Desai SS, Grainger DW, Mehra MR. Usefulness of ivermectin in COVID-19 illness. medRxiv Patidar GK, Land KJ, Vrielink H, Dann EJ, Spitalnik SL. Understanding the role of therapeutic plasma exchange in COVID-19: preliminary guidance and practices. Vox Sanguinis 2021.

Patterson B, Yogendra R, Guevara-Coto J, Osgood E, Bream J, Parikh P. Targeting the monocytic-endothelial-platelet axis with maraviroc and pravastatin as a therapeutic option to treat long COVID/Post-acute sequelae

Patterson BK, Francisco EB, Yogendra R, Long E, Pise A, Hall E et al. Persistence of SARS CoV-2 S1 protein in CD16+ monocytes in post-acute sequelae of COVID-19 (PASC) up to 15 months post-infection. Front Immunol

Patterson BK, Guevara-Coto J, Yogendra R, Francisco E, Long E, Pise A. Immune-based prediction of COVID-19 severity and chronicity decoded using machine learning. Front Immunol 2021.

Patterson BK, seethamraju H, Dhody K, Corley MJ, Kazempour K, Lalezari J et al. CCR5 inhibition in critical COVID-19 patients decreases inflammatory cytokines, increases CD8 T-cells, and deceases SARS-CoV2 RNA in

Patterson BK, seethamraju H, Dhody K, Corley MJ, Pang AP. Disruption of the CCL5/RANTES-CCR5 pathway restores immune homeostasis and reduces plasma viral load in critical COVID-19. medRxiv 2020.

Patterson G, Isales CM, Fulzele S. Low level of vitamin C and dysregulation of vitamin C transporter might be involved in the severity of COVID-19 infection. Aging and Disease 2020; 12.

Payen D. Coronavirus disease 2019 acute respiratory failure: Almitrine drug resuscitation or resuscitating patients by almitrine? Crit Care Med 2020.

Peluso MJ, Deveau TM, Munter SE, Ryder D, Buck A, Lu S et al. Evidence of recent Epstein-Barr virus reactivation in individuals experiencing Long Covid. medRxiv 2022.

Peralta EG, Fimia-Duarte R, Cardenas JW, Dominguez DV, Segura RB. Ivermectin, a drug to be considered for the prevention and treatment of SARS-CoV-2. Brief literature review. EC Veterinary

Perez JC, Moret-Chalmin C, Montagnier L. Towards the emergence of a new form of the neurodegenerative Creutzfeldt-Jakob disease: Twenty six cases of CJD declared a few days after a COVID-19 "vaccine" jab. Research

Perrella F, Coppola F, Petrone A, Platells C, Montesarchio D, Ravagnan G. Interference of Polydatin/Resveratrol in the ACE2:Spike recognition during COVID-19 infection. A focus on their potential

Peterson DJ. Prescription of ivermectin or hydroxychloroquine as off-label medicines for the prevention and treatment of Covid-19. https://ago nebraska gov/sites/ago nebraska

Piacentini S, La Frazia S, Riccio A, Pedersen JZ, Topai A, Nicolotti O. Nitazoxanide inhibits paramyxovirus replication by targeting the Fusion protein folding: role of glycoprotein-specific thiol Pietrocola F, Malik SA, Marino G, Vacchelli E, Senovilla L, Chaba K et al. Coffee induces autophagy in vivo. Cell Pistollato F, Masias M, Agudo P, Giampieri F. Effects of phytochemicals on thyroid function and their possible role in thyroid disease. Ann N Y Acad Sci 2019; 1433:3-9.

Pitt B, Sutton NR, Wang Z, Holinstat M. Potential repurposing of the HDAC inhibitor valproic acid for patients with COVID-19. Eur J Pharmacol 2021; 898:173988.

Plantone D, Koudriavtseva T. Current and future use of chloroquine and hydroxychloroquine in infectious, immune, neoplastic and neurological diseases: A mini review. Clin Drug Invest 2018; 38:653-671. Poenaru S, Abdallah SJ, Corrales-Medina V, Cowan J. COVID-19 and post-infectious myalgic encephalomyelitis/chronic fatigue syndrome: a narrative review. Ther Adv Infectious Dis 2021; 8:1-16. Pont G, Pastorino L, Manfredini M, Ozben T, Oliva G, Kaleci S. COVID-19 spreading across world correlates with C677T allele of the methelenetetarhydrofolate reductase (MTHFR) geneprevalence. J Clin Lab Anal 2021; Ponti G, Roli L, Oliva G, Manfredini M, Trenti T, Kaleci S et al. Homocysteine (Hcy) assessment to predict outcomes of hospitalized COVID-19 patients: a multicenter study on 313 Covid-19 patients. Clin Chem Lab Poor HD, Ventetuolo CE, Tolbert T, Chun G, Serrao G. COVID-19 critical illness pathophysiology driven by diffuse pulmonary thrombi and pulmonary endothelial dysfuncion responsive to thrombolysis. Porter C, Favara M, Scott D, Craske MG, Stein A. Impact of the COVID-19 pandemic on anxiety and depression symptoms of young people in the Global South: evidence from a four-country cohort study, medRxiv 2021. Prescott HC, Girard TD. Recovery from Severe COVID-19. Leveraging the lessons of survival from sepsis. JAMA Pretorius E, Venter C, Laubshder G, Kotze M, Moremi K. Combined triple treatment of fibrin amyloid microclots and platelet pathology in individuals with long COVID/Post -acute sequelae of COVID-19 (PASC) Pujadas E, Chaudhry F, McBride R, Richter F, Zhao S. SARS-CoV-2 viral load predictes COVID-19 Puskarich MA, Ingraham NE, Merck LH, Driver BE, Wacker DA, Black LP. Effect of losartan on hospitalized patients with COVID-19-induced lung injury: A randomized clinical trial. medRxiv 2021. Qin C, Zhou L, Hu Z, Zhang S. Dysregulation of the immune response in patiens with COID-19 in Radujkovic A, Hippchen T, Tiwari-Heckler S, Dreher S, Merle U. Vitamin D deficiency and outcome of COVID-19 Rahimi HR, Nedaeinia R, Shamloo AS, Nikdoust S. Novel delivery system for natural products: Nano-curcumin Rahman MT. Potential benefits of combination of Nigella Sativa and Zn supplements to treat COVID-19. Journal of Herbal Medicine 2020; 23:100382. Rajter JC, Sherman MS, Fatteh N, Vogel F, Sacks J, Rajter JJ. ICON (Ivermectin in COvid Ninteen) study: Use of ivermectin is associated with lower mortality in hospitalized patients with COVID-19. Ramakrishnan S, Nicolau DV, Langford B, Mahdi M, Jeffers H, Mwasuku C et al. Inhaled budesonide in the treatment of early COVID-19 (STOIC): a phase 2, open-label, randomised controlled trial. Raman B, Cassar MP, Tunnicliffe EM, Filippini N, Griffanti L, Okell T et al. Medium-term effects of SARS-CoV-2 infection on multiple vital organs, exercise capacity, cognition, quality of life and mental health, post hospital Ramiall V, Zucker J, Tatonetti N. Melatonin is significantly associated with survival of intubated COVID-19 Ranjbar E, Kasaei MS, Mohammad-Shirazi M, Shams J, Mostafavi SA. Effects of zinc supplementation in patients with major depression: A randomized clinical trial. Iranian J Psychiatry 2013; 8:73-79. Ranjbar K, Shahriarad R, erfani A, Khodamoradi Z, Saadi MH. Methylprednisolone or dexamethasone, which one is the superior corticosteroid in the treatment of hospitalized COVID-19 Rashid RA, Zgair A, Al-Ani R. Effect of nasal corticosteroid in the treatment of anosmia due to COVID-19: A randomised double-blind placebo-controlled study. American Journal of Otolaryngology-Head and Neck Rattis BA, Ramos SG, Celes MR. Curcumin as a potential treatment for COVID-19. Fronteirs in Pharmacology Rawson TM, Wilson RC, Holmes A. Understanding the role of bacterial and fungal infection in COVID-19. Clinical Microbiology & Infection 2021; 27:9-11. Ray K. Caffeine is a potent stimulator of autophagy to reduce hepatic lipid content - a coffee for NAFLD? Nature Reviews Gastroenterology & Hepatology 2013; 10:563. Reddy MP, Subramaniam A, Afroz A, Billah B, Lim ZJ, Wong SN. Prone positioning of nonintubated

patients with Coronavirus Disease 2019- A systematic review and meta-analysis. Crit Care Med Reddy P, Edwards LR. Magnesium supplementation in vitamin D deficiency. Am J Ther 2019; 26:e124-e132.

Reichling J, Schnitzler P, Suschke U, Saller R. Essential oils of aromatic plants with antibacterial, antifungal, antiviral, and cytotoxic properties - an overview. Forsch Komplementmed 2009; 16:79-90.

Reis G, Moreira-Silva EA, Silva DC, Thabane L, Guyatt GH, Mills EJ. Effect of early treatment with fluvoxamine on risk of emergency care and hospitalization among patients with COVID-19: the

Reiter RJ, Abreu-Gonzalez P, Marik PE, Dominguez-Rodriguez A. Therapeutic algorithm for use of melatonin in patients with COVID-19. Front Med 2020; 7:226.

Reiter RJ, Sharma R, Ma Q, Dominquez-Rodriguez A, Marik PE, Abreu-Gonzalez P. Melatonin inhibits COVID-19-induced cytokine storm by reversing aerobic glycolysis in immune cells: A mechanistic analysis. Medicine in

Reiter RJ, Sharma R, Ma Q, Liu C, Manucha W, Abreu-Gonzalez P. Plasticity of glucose metabolism in activated immune cells: advantages for melatonin inhibition of COVID-19 disease. Melatonin Res 2020; 3:362-379.

Reiter RR, Sharma R, Castillo R, Marik PE, Rodriguez AD, Cardinali DP. Coronavirus-19, Monocyte/Macrophage glycolysis and inhibition by melatonin. J SARS-CoV2 COVID 2021; 2:29-31.

Renoir T. Selective serotonin reuptake inhibitor antidepressant treatment discontinuation syndrome: a review of the clinical evidence and the possible mechanisms involved. 4 2013;(45).

Rhodes JM, Subramanian S, Laird E, Kenny RA. Editorial: Low population mortality from COVID-19 in countries south of 35 degrees North - supports vitamin D as a factor determining severity. Alimentary

Rich GT. Towards an Understanding of the Low Bioavailability of Quercetin: A Study of Its Interaction with Riche F. Protracted immune disorders at one year after ICU discharge in patients with septic shock. Crit Care

Risch HA. Early outpatient treatment of symptomatic, High-Risk Covid-19 patients that should be ramped-up immediately as key to the pandemic crisis. Am J Epidemiol 2020; 189:1218-1226.

Riva A, Ronchi M, Petrangolini G, Bosisio S, Allegrini P. Improved oral absorption of quercetin from quercetin phytosome, a new delivery system based on food grade lecithin. European Journal of Drug Metabolism and

Rizzoli R. Vitamin D supplementation: upper limit for safety revisited. Aging Clin Exp Res 2020.

Robbins T, Gonevski M, Clark C, Sharma K, Magar A. Hyperbaric oxygen therapy for the treatment of long COVID: early evaluation of a highly promising intervention. Clinical Medicine 2021; 21:e629-e632.

Roltgen K, Nielsen SC, Silva O, Younes SF, Yang F, Wirz OF. Immune imprinting, breadth of variant recognition, and germinal center response in human SARS-CoV-2 infection and vaccination. Cell 2022; 185:1-16.

Rondanelli M, Perna S, Gasparri C, Petrangolini G, Cavioni A, Peroni G. Promising effects of a 3-month period of quercetin phytosome supplementaion in the prevenion of symptomatic COVID-19 disease in healthcare

Rosa DD, Dias MM, Grzeskowiak LM, Reis SA. Milk kefir: nutritional, micobiological and health benefits.

Rosas IO, Brau N, Waters M, Go R, Hunter BD, Bhagani S et al. Tocilizumab in hospitalized patients with COVID-19 pneumonia. medRxiv 2020.

Rose J. A report on the U.S. Vaccine Adverse Events Reporting System (VAERS) of the COVID-19 messenger ribonucleic acid 9mRNA) biologicals. Science, Public Health Policy, and Law 2021; 2:59-80.

Rosing CK, Cavagni J, Gaio EJ, Muniz FW, Ranzan N. Efficacy of two mouthwashes with cetylpyridinium chloride: a controlled randomized clinical trial. Braz Oral res 2017; 31:e47.

Rossignol JF, Bardin MC, Oaks JB, Bostick BG, Vora KN. Early treatment with nitazoxanide prevents worsening of mild and moderate COVID-19 and subsequent hospitalization. medRxiv 2021.

Rossignol JF. Nitazoxanide, a new drug candidate for the treatment of Middle East respiratory syndrome coronavirus. Journal of Infection and Public Health 2016; 9:227-230.

Rossignol JF. Nitazoxanide: A first-in-class broad-spectrum antiviral agent. Antiviral Res 2014; Rothlin RP, Vetulli HM, Duarte M, Pelorosso FG. Telmisartan as tentative angiotensin receptor blocker therapeutic for COVID-19. Drug Dev Res 2020; 81:768-770.

Ruiz-Irastorza G, Khamashta MA. Hydroxychloroquine: the cornerstone of lupus therapy. Lupus 2008; 17:271-

Ruiz-Irastorza G, Pijoan JI, Bereciatua E, Dunder S, Dominguez J, Garcia-Escudero P. Second week methyl-prednisolone pulses improve prognosis in patients with severe coronavirus disease 2019 pneumonia: An observational comparative study using routine care data. medRxiv 2020.

Saba A, Vaidya PJ, Chavhan VB, Achlerkar A, Leuppi J. Combined pirfenidone, azithromycin and prednisolone in post-H1N1 ARDS pulmonary firbosis. Sarcoidosis Vasc Diffuse Lung Dis 2018; 35:85-90.

Sabel BA, Flammer J, Merabet LB. Residual vision activation and the brain-eye-vascular triad: Dysregulation, plasticity and restoration in low vision and blindness - a review. Restorative Neurology and Neuroscience

Sabel BA, Zhou W, Huber F, Schmidt F, Sabel K. Non-invasive brain microcurrent stimulation therapy of long-COVID-19 reduces vascular dysregulation and improves visial and cognitive impairement. Restorative

Saeedi-Boroujeni A, Mahmoudian-Sani MR. Anti-inflammatory potential of Quercetin in COVID-19 treatment.

Saha JK, Raihan J. The binding mechanism of ivermectin and levosalbutamol with spike protein of SARS-CoV-2.

Salama C, Han J, Yau L, Reiss WG, Kramer B. Tocilizumab in patients hospitalized with Covid-19

Salem M, Kasinski N, Munoz R, Chernow B. Progressive magnesium deficiency inceases mortality from endotoxin challenge:Protective effects of acute magnesium replacement therapy [abstract].

Salim B, Noureddine M. Identification of compounds from Nigella Sativa as new potential inhibitors of 2019 Novel Coronavirus (COVID-10): Molecular docking study. ChemRxiv 2021.

Salton F, Confalonieri P, Santus P, Harari S, Scala R, Lanini S et al. Prolonged low-dose methylprednisolone in patients with severe COVID-19 pneumonia. medRxiv 2020.

Salvarani C, Dolci G, Massari M, Merlo DF, Cavuto S. Effect of tocilizumab vs standard care on clinical worsening in patients hospitalized with COVID-19 pneumonia. A randomized clinical trial.

Samuel RM, Majd H, Richter MN, Ghazizadeh Z, Navickas A, Ramirez JT. Androgen signaling regulates SARS-CoV-2 receptor levels and is associated with severe COVID-19 symptoms in men.

Sanabria-Mazo JP, Montero-Marin J, Feliu-Soler A, Gasion V, Navarro-Gil M. Mindfulness-based program plus amygdala and inusla retraining (MAIR) for the treatment of women with fibromyalgia: A pilot ramdomized

Sanna A, Firinu D, Zavattari P, Valera P. Zinc status and autoimmunity: A systematic review and meta-analysis.

Santamarina MG, Beddings I, Martinez Lomakin F, Boisier Riscal D. Sildenafil for treating patients with COVID-19 and perfusion mismatch: a pilot randomized trial. Crit Care 2022; 26:1.

Santamarina MG, Boisier D, Contreras R, Baque M, Volpacchio M. COVID-19: a hypothesis regarding the ventilation-perfusion mismatch. Crit Care 2020; 24:395.

Santos HO, Howell S, Earnest CP, Teixeira FJ. Coconut oil intake and its effects on the cardiometabolic profile - A structured literature review. Progress in Cardiovascular Diseases 2019; 62:436-443.

Sathyapalan T, Manuchehri AM, Thatcher NJ, Rigby AS, Chapman T. The effect of soy phytoestrogen supplementation on thyroid status and cardiovascular risk markers in patients with subclinical

Schauer J, Buddhe S, Gulhane A, Sagiv E. Persistent cardiac MRI findings in a cohort of adolescents with post COVID-19 mRNA vaccine myopericarditis. J Pediatr 2022.

Schiaffino MT, Di Natale M, Garcia-Martinez E, Navarro J, Munoz-Blanco JL, Demelo-Rodriguez P. Immunoserologic detection and diagnostic relevance of cross-reactive autoantibodies in Coronavirus disease

Schmitt B, Vicenzi M, Garrel C, Denis FM. Effects of N-acetylcysteine, oral glutathione (GSH) and a novel sublingual for of GSH on oxidative stress markers: A comparative crossover study. Redox Biology 2015; 6:198-

Schnitzler P. Essential oils for the treament of Herpes Simplex Virus infections. Chemotherapy 2019; 64:1-7.

Schroeder S, Hofer S, Zimmermann A, Pechlaner R, Pendl T, Bergmann M et al. Dietary spermidine improves cognitive function. Cell Resports 2021; 35:108985.

Schultze A, Walker AJ, MacKenna B, Morten CE, Bhaskaran K, Brown JP. Inhaled corticosteroids use and the risk of COVID-19 related death among 966,461 patients with COPD or asthma: An

Schurink B, Roos E, Radonic T, Barbe E, Bouman CS. Viral presence and immunopathology in patients with lethal COVID-19: a prospective autopsy cohort study. Lancet Microbe 2020.

Schwalfenberg GK. Vitamins K1 and K2: The emerging group of vitamins required for human health. Journal of Nutrition and Metabolism 2017; 2017:6254836.

Seale LR, Eglini AN, McMichael AJ. Side effects related to 5 alpha-reductase inhibitor treatment of hair loss in women: A review. J Drugs Dermatol 2016; 15:414-419.

Seet RC, Quek AM, Ooi DS, Sengupta S, Koo CY. Positive impact of oral hydroxychloroquine and povidone-iodine throat spray for COVID-19 prophylaxis: an open-label randomized trial. Int J Infect DIs 2021.

Seftel D, Boulware DR. Prospective cohort of fluvoxamine for early treatment of COVID-19. Open Seifirad S. Pirfenidone: A novel hypothetical treatment for COVID-19. Medical Hypotheses 2020; 144:11005.

Seneff S, Nigh G, Kyriakopoulos AM, McCullough PA. Innate immune suppression by SARS-C-V-2 mRNA vaccinations: The role of G-quadruplexes, exosomes and microRNAs. Food & Chemical Toxicology 2022;

Seneff S, Nigh G. Worse than the disease? Reviewing some possible unintended consequences of the mRNA vavvines against COVID-19. International Journal of Vaccine Theory, Practice, and Research 2021; 2:38-79.

Seneviratne CJ, Balan P, Ki KK, Udawatte NS, Lai D. Efficacy of commercial mouth-rinses on SARS-CoV-2 viral load in saliva: Randomized controlled trial in Singapore. Infection 2020; 49:305-311.

Senniappan K, Jeyabalan S, Rangappa P, Kanchi M. Hyperbaric oxygen therapy: Can it be a novel supportive therap in COVID-19? Indian Journal of Anaesthesia 2020; 64:835-841.

Serhan CN. Novel pro-resolving lipid mediators in inflammation are leads for resolution physiology. Servy EJ, Jacquesson-Fournols L, Cohen M, Menezo YJ. MTHFR isoforms carriers. 5-MTHF (5-methyl tetrahydrofolate) vs folic acid: a key to pregnancy outcome: a case series. Journal of Assisted Reproduction

Sethia R, Prasad M, Mahapatra SJ, Nischal N, Soneja M. Efficacy of famotidine for COVID-19: A systematic review and meta-analysis. medRxiv 2020.

Seven B, Gunduz O, Ozgu-Erdinc AS, Sahin D, Moraloglu O, Keskin HL. Correlation between 25-hydroxy vitamin D levels and COVID-19 severity in pregnant women: a cross-sectional study. Journal of Maternal-Fetal &

Shakoor H, Feehan J, Dhaheri AS, Ali HI, Platat C, Ismail LC. Immune-boosting role of vitamins D,C,E, zinc, selenium and omega-3 fatty acids: could they help against COVID-19. Maturitas 2020.

Shakoor H, Freehan J, Mikkelsen K, Al Dhaheri AS, Ali HI. Be well: A potential role for vitamin B in COVID-19.

Sharun K, Dhama K, Patel SK, Pathak M, Tiwari R. Ivermectin, a new candidate therapeutic against SARS-CoV-2/COVID-19. Ann Clin Microbiol Antimicrob 2020; 19:23.

Shevchuk N. Adapted cold shower as a potential treatment for depression. Medical Hypotheses 2008; 70:995-

Shi Z, Puyo CA. N-Acetylcysteine to combat COVID-19: an evidence review. Therapeutics and Clinical Shiraishi T, Nakagawa Y. Evaluation of the bactericidal activity of povidone-iodine and commercially available gargle preparations. Dermatology 2002; 204 (suppl 1):37-41.

Shoaibi A, Fortin S, Weinstein R, Berlin JA. Comparative effectiveness of famotidine in hospitalized Shodell M, Siegal FP. Corticosteroids depress INF-alpha-producing plasmacytoid dentritic cells in human blood. J Allergy Clin Immunol 2001; 108:446-448.

Shouman K, Vanichkachorn G, Chesire WP, Suarez MD, Shelly S. Autonomic dysfunction following COVID-19 infection: an early experience. Clinical Autonomic Research 2021; 31:385-394.

Shu C, Feng S, Cui Q, Cheng S, Wang Y. Impact of Tai Chi on CRP, TNF-alpha and IL-6 in inflammation: a systematic review and meta-analysis. Ann Palliat Med 2021; 10:7468-6478.

Shukla AM, Shukla AW. Expanding horizons for clinical applications of chloroquine, hydroxychloroquine and related structural analogues. Drugs in Context 2019; 8:2019-9-1.

Siegert A, Diedrich L, Antal A. New methods, old brains - A systematic review on the effects of tDCS on cognition of elderly people. Fronteirs in Human Neuroscience 2021; 15:730134.

Simonovich VA, Pratx LD, Scibona P, Beruto MV, Vallone MG. A randomized trial of convalescent plasma in COVID-19 severe pneumonia. N Engl J Med 2020.

Singanayagam A, Glanville N, Girkin JL, Ching YM, Marcellini A. Corticosteroid suppression of antiviral immunity increases bacterial loads and mucus production in COPD exacerbations. Nature

Sinha RA, Farah BL, Singh BK, Siddique MM, Li Y, Wu Y et al. Caffeine stimulates hepatic lipid metabolism by the autophagy-lysosomal pathway in mice. Hepatology 2014; 59:1366-1380.

Siso A, Ramos-Casals M, Bove A, Soria N, Testi A, Plaza J. Previous antimalarial therapy in patients diagnosed with lupus nephritis: Influence on outcomes and survival. Lupus 2008; 17:281-288.

Skalny AV, Rink L, Ajsuvakova OP, Aschner M, Gritsenko VA. Zinc and respiratory tract infections: Perspectives for COVID-19. Int J Mol Med 2020; 46:17-26.

Skurikhin EG, Andreeva TV, Khnelevskaya ES, Ermolaeva LA, Pershina OV, Krupin VA. Effect of antiserotonin drug on the development of lung fibrosis and blood system reactions after intratracheal administration of

Somi VK, Mehta A, Ratre YK, Tiwari AK, Amit A. Curcumin, a traditional spice component, can hold promise against COVID-10? Eur J Pharmacol 2020; 886:173551.

Sorokowaka A, Drechsler E, Karwowski M, Hummel T. Effects of olfactory training: a meta-analysis. Rhinology Sotelo J, Briceno E, Lopez-Gonzalez MA. Adding chloroquine to conventional treatment for glioblastoma multiforme: a randomized, double-blind, placebo-controlled trial. Ann Intern Med 2006; 144:337-343.

Spagnolo P, Balestro E, Aliberti S, Cocconcelli E, Biondini D, Casa GD. Pulmonary fibrosis secondary to COVID-19: a call to arms? Lancet Resp Med 2020; 8:750-752.

Spinelli FR, Conti F, Gadina M. HiJAKing SARS-COV-2? The potential role of JAK inhibitors in the management of COVID-19. Sci Immunol 2020; 5:eabc5367.

Spyropoulos AC, Lipardi C, Xu J, Peluso C, Spiro TE. Modified IMPROVE VTE Risk Score and elevated D-Dimer identify a high venous thromboembolism risk in acutely ill medical population for extended

Stephenson E, Hooper MH, Marik PE. Vitamin C and Point of Care glucose measurements: A retrospective, Observational study [Abstract]. Chest 2018; 154 (suppl.):255a.

Stoehr JR, Choi JN, Colavincenzo M, Vanderweil S. Off-label use of topical minoxidil in alopecia: A review. Am J Stone JH, Frigault MJ, Sterling-Boyd NJ, Fernandes AD, Harvey FL. Efficacy of tocilizumab in patients hospitalized with Covid-19. N Engl J Med 2020.

Sukhatme VP, Reiersen AM, Vayttaden SJ, Sukhatme VV. Fluvoxamine: A review of its mechanism of action and its role in COVID-19. Fronteirs in Pharmacology 2021; 12:652688.

Sullivan M, Katon W, Russo J, Dobie R, Sakai C. A randomized trial of nortriptyline for severe chronic tinnitus effects on depression, disability, and tinnitus symptoms. Arch Intern Med 1993; 153:2251-2259.

Supady A, Taccone FS, Lepper PM, Ziegeler S, Staudacher DL. Survival after extracorporeal membrane oxygenation in severe COVID-19 ARDS: results from an international multicenter

Swank Z, Senussi Y, Alter G, Walt DR. Persistent circulating SARS-CoV-2 spike is associated with post-acute Swargiary A. Ivermectin as a promising RNA-dependent RNA polymerase inhibitor and a therapeutic

drug against SARS-CoV2: Evidence from silico studies. Research Square 2020.

Sweeney TE, Liesenfeld O, Wacker J, He YD, rawling D, Remmel M. Validation of inflammopathic, adaptive, and coagulopathic sepsis endotypes in Coronavirus disease 2019. Crit Care Med 2020.

Tahmasebi S, El-Esawi MA, Mahmoud ZH, Timoshin A, Vaez A, Aslani S. Immunomodulatory effects of nanocurcumin on the Th17 cell responses in mild and severe COVID-19 patients. J Cell Physiol 2021;

Tan C, Huang Y, Shi F, Tan K, Ma Q, Chen Y. C-reactive protein correlates with computed tomographic findings and predicts severe COVID-19 early. J Med Virol 2020; 92:856-862.

Tan CW, Ho LP, Kalimuddin S, Cherng BP, Teh YE. Cohort study to evaluate effect of vitamin D, magnesium, and vitamin b12 in combination on severe outcome progression in older patients with coronavirus (COVID-

Taquet M, Geddes JR, Husain M, Luciano S, Harrison PJ. 6-month neurological and psychiatric outcomes in 236 379 survivors of COVID-19: a retrospective cohort study using electronic health records. Lancet

Tardif JC, Bouabdallaoui N, L'Allier PL, Gaudet D, Shah B, Pillinger MH et al. Efficacy of colchicine in non-hospitalized patients with COVID-19. Lancet Resp Med 2021.

Tartof SY, Qian L, Hong V, Wei R, Nadjafi RF, Fischer H. Obesity and mortality among patients diagnosed with COVID-19: Results from an integrated health care organization. Ann Intern Med

Tay MZ, Poh CM, Renia L, MacAry PA. The trinity of COVID-19: immunity, inflammation and te Velthuis AJ, van den Worm SH, Sims AC, Baric RS, Snijder EJ, van Hemert MJ. Zn2+inhibits Coronavirus and Arterivirus RNA polymerase activity In Vitro and Zinc ionophores block the replication of these viruses in cell

Teng F, He T, Huang S, Bo CP, Li Z, Chang JL. Cetylpyridinium chloride mouth rinses alleviate experimental gingivitis by inhibiting dental plaque maturation. Journal of Oral Science 2016; 8:182-190.

Teng M, Zhao YJ, Khoo AL, Yeo TC, Yong QW, Lim BP. Impact of coconut oil consumption on cardiovascular health: a systematic review and meta-analysis. Nutr Rev 2019; 78:249-259.

Teselink J, Bawa KK, Koo GK, Sankhe K, Liu CS, Oh P. Efficacy of non-invasive brain stimulation on global cognition and neuropsychiatric symptoms in Alzheimer's disease and mild cognitive impairement: A meta-

Teshome A, Adane A, Girma B, Mekonnen ZA. The impact of Vitamin D level on COVID-19 infection: systematic review and meta-analysis. Fronteirs in Public Health 2021; 9:624559.

Teuwen LA, Geldhof V, Pasut A, Carmeliet P. COVID-19: the vasculature unleashed. Nature Reviews Tezgin D, Giardina C, Perdrizet GA, Hightower LE. The effect of hyperbaric oxygen on mitochondrial and glycolytic energy metabolism: the caloristasis concept. Cell Stress and Chaperones 2020; 25:667-677.

Theoharides TC, Tsilioni I, Ren H. Recent advances in our understanding of mast cell activation-or should it be mast cell mediator disorders? Expert Rev Clin Immunol 2019; 15:639-656.

Theoharides TC. COVID-19, pulmonary mast cells, cytokine storms, and beneficial actions of luteolin.

Theoharides TT, Cholevas C, Polyzoidis K, Poliotis A. Long-COVID syndrome-associated brain fog and chemofog: Luteolin to the rescue. Biofactors 2021; 47:232-241.

Therapeutic anticoagulation with heparin in noncritically ill patients with Covid-19. N Engl J Med Thimmulappa RK, Mudnakudu-Nagaraju KK, Shivamallu C, Bhojraj S. Antiviral and immunomodulatory activity of curcumin: A case for prophylactic therapy for COVID-19. Heliyon 2021; 7:e06350.

Thomas BJ, Porritt RA, Hertzog PJ, Bardin PG. Glucocorticosteroids enhance replication of respiratory viruses: effect of adjuvant interferon. Scientific Reports 2014; 4:7176.

Thomas R, Aldous J, Forsyth R, Chater A, Williams M. The inflence of a blend of probiotic Lactobacillus and prebiotic inulin on the duration and severity of symptoms among individuals with COVID-19. Infect Dis Diag

Thompson MA, Henderson JP, Shah PK, Rubenstein SM, Joyner MJ, Flora DB. Convalescent plasma and improved survival in patients with hematologic malignancies and COVID-19. medRxiv 2021.

Titos E, Rius B, Gonzalez-Periz A, Lopez-Vicario C, Arroyo V, Claria J. Resolvin D1 and its precursor docosahexaenoic acid promote resolution of adipose tissue inflammation by eliciting macrophage

Tobin MJ, Laghi F, Jubran A. Why COVID-19 silent hypoxemia is baffling to physicians. Am J Respir Toljan K, Vrooman B. Low-dose naltrexone (LDN) - Review of therapeutic utilization. Med Sci 2018; 6:82.

Tomassa-Irriguible TM, Lielsa-Berrocal L. COVID-19: Up to 87% critically ill patients had low vitamin

Tomassetti F, Nuccetelli M, Sarubbi S, Gisone F, Ciotti M. Evaluation of S-RBD and high specificity ACE-2 binding antibodies on SARS-CoV-2 patients after six months from infection. International

Tomazini BM, Maia IS, Cavalcanti AB, Berwanger O, Rosa RG, Veiga VC. Effect of dexamethasone on days alive and ventilaor-free in patients with moderate or severe acute respiratory distress syndrome and COVID-19. The CoDEX randomized clinical trial. JAMA 2020; 324:1307-1316.

Torrealba JR, Fisher S, Kanne JP, Butt YM, Glazer C, Kershaw C. Pathology-radiology correlation of common and uncommon computed tomographic patterns of organizing pneumonia. Human

Trahtemberg U, Fritzler MJ. COVID-19-associated autoimmunity as a feature of acute respiratory failure.

Tran HT, Gigl M, Le NP, Dawid C, Lamy E. In Vitro effect of *Taraxacum officinale* leaf aqueous extract on the interaction between ACE2 cell surface receptor and SARS-CoV-2 spike protein D614

Tripathy S, Dassarma B, Roy S, Chabalala H, Matsabisa MG. A review on possible modes of chloroquine/hydroxychloroquine: repurposing against SARS-CoV-2 (COVID-19) pandemic. International

Tzabazis A, Kori S, Mechanic J, Miller J, Pascual C, Carson D. Oxytocin and migraine headache. Headache 2017; Unal G, Turan B, Balcioglu YH. Immunopharmacological management of COVID-19: Potential therapeutic role of valproic acid. Medical Hypotheses 2020; 14:109891.

Usami O, Saitoh H, Ashino Y, Hattori T. Acyclovir reduces the duration of fever in patients with infectious mononucleosis-like illness. Tohoku J Experi Med 2013; 229:137-142.

Utoguchi N, Ikeda K, Saeki K, Oka N, Mizuguchi H, Kubo K et al. Ascorbic acid stimulates barrier function of cultured endothelial cell monolayer. Journal of Cellular Physiology 1995; 163(2):393-399.

Valentova K, Vrba J, Bancirova M, Ulrichova J. Isoquercitrin: Pharmacology, toxicology, and metabolism. Food and Chemical Toxicology 2014; 68:267-282.

Valizadeh H, Danshina S, Gencer MZ, Ammari A, Sadeghi A, Aslani S. Nano-curcumin therapy, a promising method in modulating inflammatory cytokines in COVID-19 patients. International Immunopharmacology van Eeden C, Khqn L, Osman MS, Tevaert JW. Natural killer cell dysfunction and its role in COVID-19. Int J Mol van schoor NM, Lips P. Worldwide vitamin D status. Best Practice & Research Clinical Endocrinology & van Zuuren EJ, Fedorowicz Z, Schoones J. Interventions for female pattern hair loss (Review). Cochrane Database of Syst Rev 2016; 5:CD007628.

Varatharajah N. COVID-19 CLOT: What is it? Why in the lungs? Extracellular histone, "auto-activation" of prothrombin, emperipolesis, megakaryocytes, "self-association" of Von Willebrand Varga Z, Flammer AJ, Steiger P, Habrecker M, Andermatt R, Zinkernagel AS. Endothelial cell infection and endotheliitis in COVID-19. Lancet 2020.

Vatsalya V, Li F, Frimodig J, Gala KS, Srivastava S, Kong M. Therapeutic prospects for Th-17 cell immune storm syndrome and neurological symptoms in COVID-19: Thiamine efficacy and safety, In-Veit O, Beck B, Steuerwald M, Hatz C. First case of ivermectin-induced severe hepatitis. Trans R Soc Trop Med Verbeke R, Lentacker I, Smedt SC, DeWitte H. Three decades of messenger RNA vaccine development.

Vergara-Buenaventura A, Castro-ruiz C. Use of mouthwashes against COVID-19 in dentistry. British Journal of Oral and Maxillofacial Surgery 2020; 58:924-927.

Verma AK, Lavine KJ, Lin CY. Myocarditis after COVID-19 mRNA vaccination. N Engl J Med 2022; 385:1332-Verma D, Thompson J, Swaminathan S. Spironolactone blocks Epstein-Barr virus production by inhibiting EBV SM protein function. PNAS 2016; 113:3609-3614.

Villa G, Romagnoli S, De Rosa S, Greco M, Resta M. Blood purification therapy with a hemodiafilter featuring enhanced adsorptive properties for cytokine removal in patients presenting COVID-19: a Villar J, Confalonieri M, Pastores SM, Meduri GU. Rationale for prolonged corticosteroid tratment in the acute respiratory distress syndrome (ARDS) caused by COVID-19. Crit Care Expl 2020; 2:e0111.

Vogel-Gonzalez M, Tallo-Parra M, Herrera-Fernandez V, Perez-Vilaro G. Low zinc levels at admission associates with poor clinical outcomes in SARS-CoV-2 infection. Nutrients 2021; 13:562.

von der Thusen J, van der Eerden M. Histopathology and genetic susceptibility in COVID-19

Voruz P, Allali G, Benzakour L, Jacot I, Pierce J. Long COVID neuropsychological deficits after severe, moderate Wahedi HM, Ahmad S, Abbasi SW. Stilbene-based natural compounds as promising drug candidates against COVID-19. Journal of Biomolecular Structure and Dynamics 2021; 39:3225-3234.

Walle T. Bioavailability of resveratrol. Ann New York Acad Sci 2011; 1215:9-15.

Wallukat G, Hohberger B, Wenzel K, Furst J, Wallukat A. Functional autoantibodies against G-protein coupled receptors in patients with persistent Long-Covid-19 symptoms. Journal of Translational Autoimmunity 2021;

Wambier CG, de Pina Almeida Prado Junior B, Pereira CS, Foss NT. Brazilian blood donation eligibility criteria for dermatologic patients. An Bras Dermatol 2021; 87:590-595.

Wambier CG, Lin EM, Cadegiani FA, Goren A, Nau GJ. Accelerated viral clearance and symptom resolution in symptomatic COVID-19 outpatients treated with antiandrogens. medRxiv 2021.

Wang EY, Mao T, Klein J, Dai Y, Huck JD, Jaycox JR. Diverse functional autoantibodies in patients with COVID-

Wang J, Najizadeh N, Moore EE, McIntyre RC, Moore PK, Veress LA. Tissue plasminogen activator (tPA) treatment for COVID-19 associated respiratory distress syndrome (ARDS): A case series. J

Wang J, Wang Y, Zhou H, Gu W, Wang X, Yang J. Clinical efficacy and safety of ketotifen in treating irritable bowel syndrome with diarrhea. Eur J Gastroenterol Hepatol 2020; 32:706-712.

Wang W, Sun C, Mao L, Ma P, Liu F, Yang J. The biological activities, chemical stability, metabolism and delivery systems of quercetin: A review. Trends in Food Science & Technology 2016; 56:21-38.

Wang Y, Lin H, Lin BW, Lin JD. Effects of different ascorbic acid doses on the mortality of critically ill patients: a meta-analysis. Ann Intensive Care 2019; 9:58.

Wang YH, Li SA, Huang CH, Su HH, Chen YH. Sirt1 activation by post-ischemic treatment with lumbrokinase protects against myocardial ischemia-reperfusion injury. Fronteirs in Pharmacology 2018; 9:636.

Warner ME, Naranjo J, Pollard EM, Weingarten TN, Warner MA. Serotonergic medications, herbal supplements, and perioperative serotonin syndrome. Can J Anaesth 2017; 64:940-946.

Watchorn J, Hang DY, Joslin J, Bramham K, Hutchings SD. Critically ill COVID-19 patients with acute kidney injury have reduced renal blood flow and perfusion despite preserved cardiac function: A case-

Wehbe Z, Wehbe M, Iratni R, Pintus G, Zaraket H. Repurposing Ivermectin for COVID-19: Molecular aspects and therapeutic possibilities. Front Immunol 2021; 12:663586.

Weinstock LB, Brook JB, Walters AS, Goris A, Afrin LB, Molderings GJ. Mast cell activation symptoms are prevalent in Long-COVID. International Journal of Infectious Diseases 2021; 112:217-226.

Weng Z, Patel AB, Panagiotidou S, Theoharides TC. The novel flavone tetramethoxyluteolin is a potent inhibitor of human mast cells. J Allergy Clin Immunol 2015; 135:1044-1052.

Weng Z, Zhang B, Asadi S, Sismanopoulos N, Butcher A. Quercetin is more effective than cromolyn in blocking human mast cell cytokine release and inhibits contact dermatitis and photosensitivity in humans. PloS ONE

Wessel L. "its a nightmare". How Brazilian scientists became ensnared in chloroquine politics. Researchers accused of killing patients after using a high dose to treat coronavirus infections. https://www.science.org/content/article/it-s-nightmare-how-brazilian-scientists-became-ensnared-

Westendorf K, Zentelis S, Wang L, Foster D, Wiggin M, Lovett E. LY-CoV1404 (bebtelovimab) potently neuralizes SARS-CoV-2 variants. bioRxiv 2022.

Wikramanayake TC, Villasante AC, Mauro LM, Perez CI, Jimenez JJ. Prevention and treatment of alopecia areata with quercetin in the C3H/HeJ mouse model. Cell Stress and Chaperones 2012; 17:267-274.

Willett BJ, Grove J, MacLean OA, Willkie C, Logan N. The hyper-transmissible SARS-CoV-2 Omicron variant exhibits significant antigenic change, vaccine escape and a switch in cell entry mechanism.

Willis MS, Monaghan SA, Miller ML, McKenna RW. Zinc-induced copper deficiency. A report of three cases initially recognized on bone marrow examination. Am J Clin Pathol 2005; 123:125-131.

Wimalawansa SJ. Effective and practical ways to overcome Vitamin D deficiency. J Family Med Community

Wimalawansa SJ. Rapidly increasing serum 25 (OD)D boosts immune system, against infections - Sepsis and

Winska K, Maczka W, Lyczko J, Szumny A. Essential oils as antimicrobial agents- Myths or real alternative.

Winslow RL, Zhou J, Windle EF, Nur I, Lall R, Ji C. SARS-CoV-2 environmental contamination from hospitalized patients with COVID-19 receiving erosol-generating procedures. Thorax 2021.

Wittich CM, Burkle CM, Lanier WL. Ten common questions (and their answers) about off-label drug Wolpin BM, Rubinson DA, Wang X, Chan JA, Cleary JM, Enzinger PC et al. Phase II and pharmacodynamic study of autophagy inhibition using hydroxychloroquine in patients with metastatic pancreatic adenocarcinoma.

Wolter N, Jassat W, Walaza S, Welch R, Moultrie H, Groome M. Clinical severity of SARS-CoV-2 Omicron BA.4 and BA.5 lineages in South Africa. Research Square 2022.

Wood E, Hall KH, Tate W. Role of mitochondria, oxidative stress and the response to antioxidants in myalgic enecphalomyelitis/Chronic fatigue syndrome: A possible approach to SARS-CoV-2 'long-haulers'? Chronic

Woodruff MC, Ramoneli RP, Lee FE, Sanz I. Broadly-targeted autoreactivity is common in severe SARS-CoV-2

Woolum JA, Abner EL, Kelly A, Thompson Bastin ML, Morris PE, Flannery AH. Effect of thiamine administration on lactate clearance and mortality in patients with septic shock. Crit Care Med 2018;

Wu C, Chen X, Cai Y, Xia J, Zhou X, Xu S. Risk factors associated with acute respiratory distress syndrome and death in patients with Coronavirus disease 2019 pneumonia in Wuhan, China. JAMA

Wu C, Li A, Leng Y, Kang J. Histone deacetylase inhibition by sodium valproate regulates polarization of macrophage subsets. DNA and Cell Biology 2012; 31:592-599.

Wu D, Yang XO. TH17 responses in cytokine storm of COVID-19: An emerging target of JAK2 inhibitor Febratinib. J Microbiol Immunol Infect 2020.

Wu Y, Cheng X, Jiang G, Tang H, Ming S. Altered oral and gut microbiota and its association with SARS-CoV-2 viral load in COVID-19 patients during hospitalization. npj Biofilms and Microbiomes 2021; 7:61.

Xin Y, Martin K, Morais CC, Gerard SE, Abate N, Sidhu U et al. Diminishing efficacy of prone positioning with late application in evolving lung injury. Crit Care Med 2021.

Xu Q, Wang T, Quin X, Zha L. Early awake prone position combined with high-flow nasal oxygen therapy in severe COVID-19; a case series. Crit Care 2020; 24:250.

Xu R, Ji Z, Xu C, Zhu J. The clinical value of using chloroquine or hydroxychloroquine as autophagy inhibitors in the treatment of cancers. A systematic review and meta-analysis. Medicine 2018; 97:46.

Xu TT, Li H, Dai Z, Lau GK, Li BY, Zhu WL et al. Spermidine and spermine delay brain aging by inducing autophagy in SAMP8 mice. Aging 2020; 17:6401-6414.

Yan S, Ci X, Chen N, Chen C, Li X, Chu X et al. Anti-inflammatory effects of ivermectin in mouse model of Yan XM, Kim CH, Lee CK, Shin JS, Cho IH. Intestinal absorption of fibrinolytic and proteolytic lumbrokinase extracted from earthworm, Eisenia andrei. Korean J Physiol Pharmacol 2010; 14:71-75.

Yang R, Li X, Liu H, Zhen Y, Zhang X, Xiong Q et al. Chest CT severity score: An imaging tool for assessing severe COVID-19. Radiology: Cardiothoracic Imaging 2020; 2:e2000047.

Yang SN, Atkinson SC, Wang C, Lee A. The broad spectrum antiviral ivermectin targets the host nuclear transport importin alpha/beta1 heterodimer. Antiviral Res 2020; 177:104760.

Ye Q, Wang B, Mao J. The pathogenesis and treatment of the "Cytokine Storm" in COVID-19. J

Yeoh YK, Zuo T, Lui GC, Zhang F, Liu Q. Gut microbiota composition reflects disease severity and dysfunctional immune responses in patients with COVID-19. Gut 2021; 70:698-706.

Yeramaneni S, Doshi P, Sands K, Cooper M, Kurbegov D, Fromell G. Famotidine use is not associated with 30-day mortality: A coarsened exact match study in 7158 hospitalized COVID-19 patients from

Yong SJ. Long-haul COVID-19: Putative pathophysiology, risk factors, and treatments. medRxiv 2020.

Yoshihara T, Shimada K, Fukao K, Sai E, Matsumori R, Alshahi H. Omega 3 polyunsaturated fatyy acids suppress the development of aortic aneurysms through the inhibition of macrophage-

Younger J, Parkitny L, McLain D. The use of low-dose naltrexone (LDN) as a novel anti-inflammatory treatment for chronic pain. Clin Rheumatol 2014; 33:451-459.

Yu LM, Bafadhel M, Doeward J, Hayward G. Inhaled budesonide for COVID-19 in people at higher risk of adverse outcomes in the community: interim analyse from the PRINCIPLE trial. Lancet 2021;

Zaid Y, Guessous F, Puhm F, Elhamdani W, Chentoufi L, Morris AC. Platelet reactivity to thrombin differs between patients with COVID-19 and those with ARDS unrelated to COVID-19. Blood

Zaid Y, Puhm F, Allaeys I, Naya A, Oudghiri M. Platelets can associate with SARS-CoV-2 RNA and are hyperactivated in COVID-19. Circ Res 2020; 127:1404-1418.

Zarehoseinzade E, Allami A, Ahmadi M, Bijani B. Finasteride in hospitalized adult males with COVID-19: A risk factor for severity of the disease or an adjunct treatment: A randomized controlled clinical Zeh HJ, Bahary N, Boone BA, Singh AD, Normolle Dp, Hogg ME. A randomized Phase II preoperative study of autophagy inhibition with high-dose hydroxychloroquine and Gemcitabine/Nab-Paclitaxel in pancreatic

Zhang C, Wu Z, Li JW, Zhao H, Wang GQ. The cytokine release syndrome (CRS) of severe COVID-19 and interleukin-6 receptor (IL-6R) antagonsit Tocilizumab may be the key to reduce the mortality. Int

Zhang J, Meng G, Li W, Shi B, Dong H, Su Z. Relationship of chest CT score with clinical characteristics of 108 patients hospitalized with COVID-19 in Wuhan, China. Respiratory Research

Zhang J, Rao X, Li Y, Zhu Y, Liu G, Guo G et al. High-dose vitamin C infusion for the treatment of critically ill COVID-19. Research Square 2020.

Zhang J, Rao X, Li Y, Zhu Y, Liu G, Guo G et al. Pilot trial of high-dose vitamin C in critically ill COVID-Zhang P, Tsuchiya K, Kinoshita T, Kushiyama H, Suidasari S, Hatakeyama M. Vitamin B6 prevents IL-1B protein production by inhibiting NLRP3 inflammasome activation. J Biol Chem 2020; 291:24517-24527.

Zhang Q, Bastard P, Liu Z, Le Pen J, Chen J, Korol C. Inborn errors of type I IFN immunity in patients with life-threatening COVID-19. Science 2020.

Zhang R, Wang X, Ni L, Di X, Ma B. COVID-19: Melatonin as a potential adjuvant treatment. Life Sci 2020;

Zhang S, Liu Y, Wang X, Yang L, Li H, Wang Y. SARS-CoV-2 binds platelet ACE2 to enhance thrombosis in COVID-19. Journal of hematology & oncology 2020; 13:120.

Zhang X, Song Y, Ci X, An N, Ju Y. Ivermectin inhibits LPS-induced production of inflammatory cytokines and improves LPS-induced survival in mice. Inflamm Res 2008; 57:524-529.

Zhang Z, Ren JG, Guo JL, An L, Li S, Zhang ZC. Effects of Tai Chi and Qigong on rehabilitation after COVID-19: a protocl for systematic review and meta-analysis. BMJ Open 2022; 12:e059067.

Zhao J, Yang Y, Huang H, Li D, Gu D. Relationship between ABO blood group and the COVID-19 Zhao Y, Jia M, Chen W, Liu Z. The neuroprotective effects of intermittent fasting on brain aging and neurodegenerative diseases via regulating mitochondrial function. Free Radical Biology & Medicine 2022;

Zhou F, Yu T, Du R, Fan G, Liu Y, Liu Z. Clinical course and risk factor for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. Lancet 2020.

Zhou L, Shin S. Small fiber neuropathy. Practical Neurology 2021;36.

Zhou S, Hill CS, Sarkar S, Tse LV, Woodburn BM. B-D-N-hydroxycytidine inhibits SARS-CoV-2 through lethal mutagenesis but is also mutagenic to mamalian cells. J Infect Dis 2021; 224:415-419.

Zhou Y, Fu B, Zheng X, Wang D, Zhao C. Pathogenic T cellls and inflammatory monocytes incite inflammatory storm in severe COVID-19 patients. Natl Sci Rev 2020; 7:998-1002.

Zilberman-Itskovich S, Catalogna M, Sasson E, Hadanny A, Lang E, Finci S et al. Hyperbaric oxygen therapy improves neurocognitive functions and sumptoms of post-COVID condition: randomized controlled trial.

Zimering MB, Razzaki T, Tsang T, Shin JJ. Inverse association between serotonin 2A receptor antagonist medication use and mortality in severe COVID-19 infection. Endocrinol Diabetes Metab J Zoger S, Svedlund J, Holgers KM. The effects of sertraline on severe tinnitus suffering - A randomized, double-blind, placebo-controlled study. J Clin Psychopharmacology 2006; 26:32-39.

Zuo T, Wu X, Wen W, Lan P. Gut microbiome alterations in COVID-19. Genomics, Proteomics &

Zuo Y, Estes SK, Ali RA, Gandhi AA, Shi H. Prothrombotic autoantibodies in the serum from patients