




Sunil J. Wimalawansa, MD, PhD, MBA, FACP, FRCP, FRCPath, DSc Professor Medicine, Endocrinology & Nutrition

Fundamentals of Vitamin D


- In the USA and Europe, D₃ is considered a dietary, nutritional supplement
- D₃ is preferred 50,000 IU is the highest commercially available dose
- Vitamin D has a wide therapeutic index, broader benefits, and able to monitor — stable shelf life, minimum drug interactions, and is inexpensive.

Conversion of 7-Dehydrocholesterol (DHC) to Previtamin D₃ in Human Skin



Sun is the Best Source of Vitamin D

Activation of Vitamin D Compounds



Vitamin D

Cholecalciferol

25-hydroxyvitamin D

25(OH)D -- Calcidiol Calcifediol

1,25-dihydroxyvitamin D

1,25(OH)₂D Calcitriol Vitamin D supplements

Ultraviolet-B rays

Vitamin D through diet

Skin: Previtamin D ⇒Vitamin D

Liver: Vitamin $D \Rightarrow 25(OH)D$

Hormonal calcitriol

Circulatory 25(OH)D

Non-hormornal calcitriol

Renal production of Calciriol: It secrete into circulation

Target tissue, intracellular production of calcitriol

Calcium homeostasis, bone mineralization & parathyroid functions

Genomic, mebrane, and Autocrine/ paracrine functions

Act on parathyroid cells and Musculoskeletal system

Peripheral target cells: Immune & other systems

Hormonal functions

Non-hormonal functions

Wimalawansa, 2020

"Vitamin D: Nature's Sunkissed Superhero"

 Doctors Paul Marik, Pierre Kory and colleagues at the Front Line COVID-19 Critical Care Alliance [FLCCC https://covid19criticalcare.com] published a Substackan article:

https://flccc.substack.com/p/vitamin-d-natures-sunkissed-superhero

Vitamin D Deficiency: Causes and Ways to Overcome

Vitamin D Deficiency

↑ Cancer and autoimmunity

Metabolic disorders: obesity-diabetes

Vitamin D Deficiency

 Harm: pregnancy & infants

Muscularskeletal disorders

Wimalawansa, 2021

Factors Influencing Vitamin D Levels

- Sun avoiding behavior
- Insufficient UV-B rays from sunlight—as in winter
- Excess body fat—overweightness affecting the bioavailability of vitamin D
- Taking medications—increasing vitamin D catabolism
- Darkness of skin color (melanin)—skin scars (e.g., burns), requires longer UVB exposure
- Age—low precursor—7HC in the skin: less conversion by UVB into vitamin D.

 Wimalawansa, 2014

Three Ways to Increase Vitamin D to prevent global vitamin D deficiency & its negative health consequences

- Sensible daily sun exposure
- Supplementation with vitamin D and other micronutrients
- Food fortification programs






"Person with lighter skin, exposure to sunshine for 20 minutes can prevent vitamin D deficiency"





"Hypovitaminosis D, daily exposure up to an hour is necessary for generating sufficient vitamin D to overcome diseases"

Mean Serum 25(OH)D Concentration Over a Calendar



Winter - Associated Flu & SARS-CoV-2 Outbreaks






Note: Alternative definitions of a full vaccination, e.g. having been infected with SARS-CoV-2 and having 1 dose of a 2-dose protocol, are ignored to maximize comparability between countries.

Wimalawansa, 2023

Percentage of People Who Had COVID Booster Doses




are doses administered beyond those prescribed by the original vaccination protocol.



Source: Official data collated by Our World in Data

Wimalawansa, 2023





Deaths caused by COVID-19: Our World COVID data: John Hopkins University database, seven-day average deaths/million population. Natural separation into high-vaccinated and boostered vs. low-boostered countries.

Vitamin D and Cancer

Vitamin D Deficiency and Cancer

- Vitamin D has a negative effect on cancer cell growth and damping metastasis, mainly via preventing chronic inflammation & oxidative stress, promoting apoptosis, and damping angiogenesis.
- Vitamin D modulates cancer through effect on cellular metabolism, suppress cancer cell glycolysis.
- Vitamin D is a negative regulator of NF-kB. It inhibits activation and DNA binding of the major transcription factors. NF-kB is a promoter of tumor cell proliferation and angiogenesis, which increase metastasis.

Vitamin D and Cancer

- Vitamin D suppresses development of cancer and progression.
- NF-kB enhances inflammatory and anti-apoptotic genes, matrix metalloproteinases, and vascular endothelial growth factor, increasing glycolysis.
- Excessive NF-kB signaling could produce mutations in the p53 gene: Mutant p53 increases NF-kB anti-apoptotic activity.

Vitamin Key Functions

Key Functions of Vitamin D

Enhance Immune system Reduce Reduce Oxidation Inflammation **Key Effects** Protect DNA of Vitamin D **Improve** & enhance cellular **functions** repair **Improve** Reduce **Mitochondrial Autoimmunity functions** Wimalawansa-2021

Micronutrient Requirements For Immunity


- Vitamins K₂, B₂, A, C, magnesium, zinc, selenium, omega-3 fatty acids, resveratrol, quercetin, also important for optimal immunity.
- Others include essential fatty acids such as omega 3, iron, iodine (T₃), etc.—a combination enhances the efficacy of vitamin D in boosting the immune system.

Micronutrient Requirements For Immunity

- Vitamins K₂, B₂, A, C, magnesium, zinc, selenium, omega-3 fatty acids, resveratrol, quercetin, also important for optimal immunity.
- Others include essential fatty acids such as omega 3, iron, iodine (T₃), etc.—a combination enhances the efficacy of vitamin D in boosting the immune system.

Micronutrient Requirements For Immunity

- Vitamins K₂, B₂, A, C, magnesium, zinc, selenium, omega-3 fatty acids, resveratrol, quercetin, also important for optimal immunity.
- Others include essential fatty acids such as omega 3, iron, iodine (T₃), etc.—a combination enhances the efficacy of vitamin D in boosting the immune system.



Effects on the Respiratory System


↓ ARTI


↓ Inflammatory Process

↓ Asthma/COPD (exacerbation)


↑ Lung Function

The Effects of Aging and Co-Morbidities on Vitamin D and Infections: SARS-CoV-2







Age-Related Mortality Rate From COVID-19




Age Group (decades) (combined data from multiple sources)


Mean Age at Death of Doctors in UK (from COVID)








COVID Deaths From Pre-existing Conditions




https://www.england.nhs.uk/statistics/wp-content/uploads/sites/2/2021/10/COVID-19-total-announced-deaths-21-October-2021-weekly-file.xlsx [Compiles by Prof. Sunil Wimalawansa]

Relationship Between Oral Vitamin D and Serum 25(OH)D Concentrations

Supplement to Maintain 25(OH)D Concentration




Serum 25(OH)D Levels After 200,000 IU Dose




Vitamin D Effects on the Immune System

- Innate Immunity—Maintain circulatory 25(OH)D above 50 ng/mL (125 nmol/L):
 It stimulates all immune cells (e.g., production of antimicrobial peptides, etc).
- Adaptive Immunity—Vitamin D stimulates cellular immunity: secreting neutralising antibodies and keep the memory cells alert.

Relationship Between Serum 25(OH)D **Concentration With SARS-CoV-2 Infection** (PCR Positivity) and Deaths







Samaha J, et al, Nutrients, 2023. 10.3390/nu15051132 https://www.mdpi.com/2072-6643/15/5/1132
Survival curve—vitamin D concentrations—2021 and 2022 winter period in Slovakia.
Relationship between serum 25(OH)D upon hospital admission and mortality for the whole cohort of hospitalized patients with COVID-19 pneumonia. An increase in serum 25(OH)D concentration of one ng/mL leads to approximately a 7% increase in the chance of survival

Beneficial Effects of Vitamin D

Preventing COVID and its Complications and Deaths

Risk of Hospital-Acquired Infections Based on Pre-operative Vitamin D Levels







Calcifediol–Clinical Outcomes


[Wimalawansa& Polonowita, 2021 Boosting immunity with vitamin D NSF, pp. 171-198, Vol. I, 2021]

A (Tuncay, et al) and B (Alcaka-Diaz et al, 2021)






Vitamin D for COVID-19: Real-time meta-analysis of 130 studies in 93,646 subjects



Efficacy of Vitamin D in Controlling SARS-CoV-2

Timeline of COVID-19 vitamin D treatment studies (pooled effects)

c19early.org/d Jul 2023



Vitamin D for COVID-19: realtime meta-analysis of 290 studies (111 treatment studies and 179 sufficiency studies): www.C19early,org.D October 2020: efficacy (pooled outcomes)

October 2020: efficacy (specific outcome)


September 2021: efficacy (RCT pooled)


November 2021: efficacy (RCT specific)

Wimalawansa, 2021

From Vitamin D Wiki.com

Simplified Version—Time vs. Response—Early Therapies






Vitamin D Saves Lives in Persons With COVID-19

- Most people with COVID-19 related complications and recovered or died, had severe vitamin D deficiency that compromised their immune systems.
- Therefore, it is logical to provide what is lacking in these vulnerable people: Vitamin D

Early Treatment is More Effective



Lessons Learned—Past Three Years "COVID-19 and Serum 25(OH)D"

- A strong inverse relationship between serum 25(OH)D concentration with risk, severity, and death from COVID-19
- In general: Outcomes based on serum 25(OH)D:
 - Asymptomatic disease: > 50 ng/mL
 - Mild disease: 30 to 40 ng/mL
 - Moderate disease: 20 to 30 ng/mL
 - Severe disease: < 20 ng/mL; Death: <10 ng/mL</p>

Ways to Naturally Boost the Immune System

Quickest Way to Boost the Immune System

- Calcifediol 0.5 to 1.0 mg (NOT calcitriol) on admission (dose: 0.014 mg/kg Body weight)
- It acts within 4 hours (no need to measure 25(OH)D and boost the immune system
- It will maintain serum 25(OH)D levels >50 ng/mL at least for a week (so a vitamin D loading dose is importance).

Best Way to Rapidly Boost the Immune System

- Combined "Calcifediol and Vitamin D" on admission or earliest sign of an infection (i.e., PCR positive).
- ✓ This will save lives, prevent the need of hospitalization & ICU use.

Modified by, Robin Whittle

Easy Way to Calculate the Right Dose of Vitamin D

- Not obese 70 to 90 IU/ Kg body-weight,
 vitamin D₃ per day per
- Obesity I and II (BMI 30 to 39) 100 to 130 IU/Kg body-weight, vitamin D_3
- Obesity III (BMI 40 and above) 140 to 180 IU Kg body-weight, vitamin D₃.

Wimalawansa, S.J. Rapidly Increasing Serum 25(OH)D Boosts the Immune System, against Infections—Sepsis and COVID-19. Nutrients, 14(14), 2997, 2022 https://doi.org/10.3390/nu14142997 Text: https://www.mdpi.com/2072-6643/14/14/2997/htm

An Example: Cost –Effective Comparison

- Molnupiravir (Merck) and Paxlovid (Pfizer):
 - Cost of treatment per patient ~\$700 (USD)
 - Effectiveness: 50% in preventing hospitalisation
- Vitamin D or ivermectin:
 - Cost = Two dollars (\$2 /patient)
 - Effectiveness: ~75% prevent hospitalization

Basics Regarding Medications

- Early therapy is the best option
- Effectiveness of some generic agents are same or better effective than patented drugs
- Rarely, there is one treatment for one disease
- Not everyone respond to one medication, dose, or the same therapy—adjustments are necessary
- ✓ Therefore, people should be provided with choices.

Vitamin D is a Cost-Effective Additional Therapy for Infections, like SARS-CoV-2

- Vitamin D should not be used alone: It must be administered in addition to standard antimicrobial therapies (a key adjunct therapy)
- With First Line Medications and other micronutrients, vitamin D boosts the immune system, allowing patients to recover faster

Summary

- A strong, inverse association of serum
 25(OH)D concentrations & COVID-19 severity
- Better the vitamin D status, lower the risks of complications from COVID-19
- Taking >5,000 IU/day will maintain a healthy levels of serum 25(OH)D to maintain robust immunity
- In emergencies, a loading dose between 100,000 and 400,000 IU needed to rapidly boost immunity.



Truth and Evolving Science

- Science is continually changing
- Truth will not change it needs to be realized
- Not accepting and fighting against the truth (and nature) is fruitless and painful
- Truth will eventually prevail
- It will then change others

Vitamin D — Summary

- Prevention is MUCH better than treatment
- Apart from the musculoskeletal system, vitamin D benefits all systems in the body
- The cost-benefit of vitamin D, exceeds of 1:1000
- Preventing disease with micronutrient sufficiency, especially with vitamin D, is highly cost-effective and is the way to reduce disease burden and healthcare costs.

Wimalawansa Foundation Address:

105 Hunupitiya Lake Road, Colombo 2 Tel 011-570-0400; Fax: 011-247-2535

https://wimalawansa.org

Some of our recent philanthropic contributions:

https://wimalawansa.org/community_projects

Our recent charitable work:

https://www.facebook.com/pg/Wimalawansa Foundation.PreventingCKDmfo/posts/

suniljw@hotmail.com



WIMALAWANSA FOUNDATION

Opening Doors for Healthier Life